


# Jupiter 3.0"

## Round Universal Cylinder - Brushed Copper

### Product Information

|               |                     |
|---------------|---------------------|
| Color temp    | 27,30,35,41,50K     |
| Output lumens | 1800                |
| Beam angle    | 40° Clear (Default) |
| Input volts   | 120-277V            |
| Wattage       | 20W                 |
| Height        | 6.30"               |
| Width         | 3.07"               |
| CRI           | 90+                 |
| Dimmable      | Triac or 0-10V      |
| Pack          | 18                  |



### Lens Options

#### Reflector



**G-05821**  
CYD/L3/24-DEGREE



**G-05822**  
CYD/L3/40-DEGREE

#### Frosted Lens



**G-05820**  
CYD/L3/FROSTED/50°

#### Lens Cover





**G-21427**  
SOLITE LENS



**G-21428**  
PRISMETAC LENS



**G-21429**  
BEAMSPLIT LENS



## Accessories



### Emergency LED Driver

25W G-95525  
30W G-48411  
60W G-95521



### New Construction Plate

G-19975 (1) Punch Out  
To use with Recessed Mount Installation



### G-05210 10FT Pendant Cord

Compatible with  
Pendant Options

## Mounting Options



### G-05280

CYD/3/RD/SM/BC  
**Surface Mount  
Canopy**



### G-05281

CYD/3/RD/SM/PDT/BC  
**Surface Mount  
Pendant**


Up-light 200 Lumens



### G-05282

CYD/3/RD/RCM/PDT/BC  
**Recessed Mount  
Pendant**

Up-light 200 Lumens




### G-05283

CYD/3/RD/SM/STM/BC  
**Surface Mount  
Stem**



### G-05229

CYD/3/RCM/JB  
**Recessed Mount  
J-Box**  
CUT OUT 2.36"




### G-05228


CYD/3/TL/MP  
**J-Box Mud Plate**

Dimensions


G-05280



G-05281



G-05282



G-05283



Dimensions

