


Jupiter 3.0"

Round Universal Cylinder - Brushed Nickel

Product Information

Color temp	27,30,35,41,50K
Output lumens	1800
Beam angle	40° Clear (Default)
Input volts	120-277V
Wattage	20W
Height	6.30"
Width	3.07"
CRI	90+
Dimmable	Triac or 0-10V
Pack	18



Lens Options






Reflector



Frosted Lens



Lens Cover



Accessories



Emergency LED Driver

25W G-95525
30W G-48411
60W G-95521



New Construction Plate

G-19975 (1) Punch Out
To use with Recessed Mount Installation



G-05210 10FT Pendant Cord

Compatible with
Pendant Options

Mounting Options



G-05260

CYD/3/RD/SM/BN
**Surface Mount
Canopy**



G-05261

CYD/3/RD/SM/PDT/BN
**Surface Mount
Pendant**

Up-light 200 Lumens



G-05262

CYD/3/RD/RCM/PDT/BN
**Recessed Mount
Pendant**

Up-light 200 Lumens




G-05263

CYD/3/RD/SM/STM/BN
**Surface Mount
Stem**



G-05229





CYD/3/RCM/JB
**Recessed Mount
J-Box**
CUT OUT 2.36"



G-05228

CYD/3/TL/MP
J-Box Mud Plate

Dimensions



Dimensions

