

ASTER 2"

INTERCHANGEABLE MODULE



Dimmable:
Down to 5%



Lifetime:
50,000 hours



Warranty:
3 years

G-48240



G-48340



G-20215



G-20213



ITEM	G-48240 7W				
DESCRIPTION	M2/7W/LED/SCCT	INPUT VOLTS	120V	IC RATED	YES
COLOR TEMP	27, 30, 35, 41, 50k	CRI	>90	PLENUM RATED	FT6
OUTPUT LUMEN	700	DIMMABLE	Triac	DIM TO WARM	See Table
BEAM ANGLE	40° Clear (Default)	mA	170mA	PACKED	18
WATTAGE	7W	OUTPUT VOLTS	33-38V		

ITEM	G-48340 8W				
DESCRIPTION	M2/8W/LED/SCCT	INPUT VOLTS	120/277V	OUTPUT VOLTS	33-38V
COLOR TEMP	27, 30, 35, 41, 50k	EQUIV. WATTAGE	60W	IC RATED	YES
OUTPUT LUMEN	800	CRI	>90	PLENUM RATED	FT6
BEAM ANGLE	40° Clear (Default)	DIMMABLE	Triac or 0-10	PACKED	18
WATTAGE	8W	mA	270mA		

ITEM	G-20215 8W/14W				
DESCRIPTION	M2/14W/WS2/LED/SCCT	INPUT VOLTS	120/277V	OUTPUT VOLTS	33-38V
COLOR TEMP	27, 30, 35, 41, 50k	EQUIV. WATTAGE	120W/65W	IC RATED	YES
DIM TO WARM	2600K - 1800K	CRI	>90	PLENUM RATED	FT6
OUTPUT LUMEN	1200/750	DIMMABLE	Triac or 0-10	PACKED	18
BEAM ANGLE	60° Clear (Default)	mA	310mA/190mA		

ITEM	G-20213 8W/14W				
DESCRIPTION	M2/20W/WS2/LED/SCCT	INPUT VOLTS	120-277V	OUTPUT VOLTS	33-38V
COLOR TEMP	27, 30, 35, 41, 50k	EQUIV. WATTAGE	170W/125W	IC RATED	When set to 14W only
OUTPUT LUMEN	1700/1200	CRI	>90	PLENUM RATED	FT6
BEAM ANGLE	60° Clear (Default)	DIMMABLE	Triac or 0-10	PACKED	18
WATTAGE	20W/14W	mA	310mA / 460mA		

Content

Aster 2" Interchangeable Module	1
Lens Options	2
Accessories	2
Driver Box	2
Trims	3
Shallow & Ultra Shallow Trims	4
Trimless	5
Millwork Trimless	6
Dimmer List	6
Multihead Trimless	7

G-48240

SCCT & Multi Dim to Warm Colors

SET TO	AT CCT SETTING	AT DIM TO WARM SETTINGS
1. 2700K	2700 Kelvin	2500K - 1800K
2. 3000K	3000 Kelvin	2700K - 1800K
3. 3500K	3500 Kelvin	3000K - 1800K
4. 4000K	4000 Kelvin	3500K - 1800K
5. 5000K	5000 Kelvin	4000K - 1800K

Lens Options

Clear Lens			Frosted Lens	Diffuser	Lens Covers		
G-10946	G-10947	G-10948	G-10944	G-21752	G-10918	G-10919	G-10920
							
L2/24-DEGREE	L2/40-DEGREE	L2/60-DEGREE	L2/FROSTED/80°	2/HEX/HC/DIFFUSER	2/SOLITE LENS	2/PRISMATIC LENS	2/BEAMSPLIT LENS



STYLE	PACK
LENS	100

Accessories



Emergency LED Driver

15W G-48410	60W G-95521
30W G-48411	25W G-95525



Extension Cords

G-20247 5ft	G-20248 10ft
G-19822 20ft	G-19823 30ft




Multi Driver Converter

G-48340 use G-95823 8W / G-48240 use G-95823 7W
G-20215 use G-95823 8W / G-95825 14W
G-20213 use G-95825 14W / G-95826 20W




New Construction Plate


Driver Box for G-48240




Driver Box for 48340




Driver Box for G-20213






Driver Box for G-20215







Trims Options

White	Black	Two-tone	Bronze	Brushed Nickel	Brushed Brass	White Baffle
G-48341	G-48343	G-48345	G-48347	G-48354	G-48349	G-22220
						
T2/R/W	T2/R/B	T2/R/BW	T2/R/BZ	T2/R/BN	T2/R/BB	T2/R/W/BF





G-48342	G-48344	G-48346	G-48348	G-48355	G-48356
					
T2/SQ/W	T2/SQ/B	T2/SQ/BW	T2/SQ/BZ	T2/SQ/BN	T2/SQ/BB

STYLE	CUT OUT	OD	HEIGHT	PLATE	PACK
TRIMMED	2.50"	3.15"	W/G-48240 2.36" / W/G-48340 2.85" / W/G-20215-20213 5.50"	G-19975 1 Punch Out	8/64


Trimmed Round



Trimmed Square





Shallow Trims Options



STYLE	CUT OUT	OD	HEIGHT	PLATE	PACK
SHALLOW	2.50"	3.15"	W/G-48240 1.65" W/G-48340 2.24" / W/G-20215-20213 4.76"	G-19975 1 Punch Out	64

Ultra Shallow Trims Options







STYLE	CUT OUT	OD	HEIGHT	PLATE	PACK
ULTRA SHALLOW	2.50"	3.15"	W/G-48240 1.46" W/G-48340 2.05" / W/G-20215-20213 4.57"	G-19975 1 Punch Out	64

Trimless Options







STYLE	CUT OUT	OD	HEIGHT	PLATE	PACK
TRIMLESS ROUND	2.80"	4.53"	W/G-48240 2.36" / W/G-48340 2.89" / W/G-20215-20213 5.47"	G-19975 2 Punch Out	36
TRIMLESS SQUARE	Sq 3.10" Rd 4.32"	6.50"	W/G-48240 3.15" / W/G-48340 3.68" / W/G-20215-20213 6.26"	G-19969 1 Punch Out	36



Trimless Round



Trimless Square



Millwork Trimless








STYLE	CUT OUT	OD	HEIGHT	PACK
MILLWORK TRIMLESS	2.76"	2.91"	W/G-48240 2.36" W/G-48340 2.95" / W/G-20215-20213 5.47"	64

Dimmer List



BRAND	SERIES	MODEL	LOAD	BRAND	SERIES	MODEL	LOAD
LUTRON	SKYLARK CONTOUR	LECL-153P	150W	LUTRON	TOGGLER	TGCL-153P	150W
		CTCL-150H	150W		ARIADNI	AYCL-153P	150W
		LGCL-153PLH	150W		MAESTRO	MACL-153M	600W
		CTCL-153P	150W	LEVITON	ILLUMATECH	IPL06	150W
		SCL-153P	150W		SURESLIDE	6672	150W
		S-600P	600W			6674	150W
	CASETA	PD-6WCL	150W	EATON	SMART DIMMER	AAL06	300W
		PD-5NE	150W	PASS & SEYMOUR	HARMONY	DCL453PTCCCV6	150W
		PD-10NXD	250W	GE	ROCKER	10464	150W
	DIVA	DVCL-153P	150W		TOGGLE	18027	150W

2" MULTI HEAD INTERCHANGEABLE TRIMLESS KITS

ROUND OPTIONS




Dimensions



STYLE	CUT OUT	PLATE	PACK
1 HEAD	2.80"	G-19975 (2)	36
2 HEADS	2.72" X 6.61"	G-48318 (2)	36
3 HEADS	2.72" X 10.51"	G-98821 (4)	36
4 HEADS	2.72" X 14.41"	G-98822 (4)	36
4 HEADS SQUARE	6.61" X 6.61"	G-98818 (1)	12

SQUARE OPTIONS



Dimensions

