


ASTROFIT 6" INTERCHAGEABLE RETROFIT MODULE



ITEM		G-21600	
DESCRIPTION	M/R6/18W/WS3/LED/5CCT	WATTAGE	12/15/18W
COLOR TEMP	27, 30, 35, 41, 50k	CRI	90
OUTPUT LUMEN	1250/1500/1750	BASE	E26 Medium Base
BEAM ANGLE	60	DIMMABLE	Triac or 0-10V
INPUT VOLTS	120-277V	PACKED	18

Lens Options



Pack: 100

ITEM	G-21630	G-21631	G-21632
DESCRIPTION	LR6/15-DEGREE	LR6/24-DEGREE	LR6/40-DEGREE

Lens Cover

G-22580	G-22581	G-22582
		
PRISMATIC COVER	SOLITE COVER	BEAMSPPLIT LENS

Diffuser

G-22579

HC/HEX/LOUVR



Dimmable:
Triac or 0-10V



Lifetime:
50,000 hours



Warranty:
3 years



Interchangeable
lens



BEAM
ANGLE
60°



CRI 90+
TRUE
COLORS



SELECTABLE
COLOR
TEMPERATURE



WET
LOCATION



AIR
TIGHT



JA8
TITLE 24



ETL
LISTED



FCC

Trims



G-21610

T/RT6/R/WT


WHITE



G-21611

T/RT6/R/BK

BLACK



G-21612

T/RT6/R/BW


TWO TONE



G-21613

T/RT6/R/BZ

BRONZE



G-21614

T/RT6/R/BN

BRUSHED NICKEL



G-21615

T/RT6/R/BB

BRUSHED BRASS



G-21616

T/RT6/R/CP

BRUSHED COPPER





G-21617

T/RT6/R/HZ

HAZE

OD	HEIGHT	PACK
7.76"	3.82"	36

Diagram



Accessories



Emergency LED Driver

15W G-48410

60W G-95521

30W G-48411

25W G-95525

Dimmer List

BRAND	SERIES	MODEL	LOAD	BRAND	SERIES	MODEL	LOAD
LUTRON	SKYLARK CONTOUR	LECL-153P	150W	LUTRON	TOGGLER	TGCL-153P	150W
		CTCL-150H	150W		ARIADNI	AYCL-153P	150W
		LGCL-153PLH	150W		MAESTRO	MACL-153M	600W
		CTCL-153P	150W	LEVITON	ILLUMATECH	IPL06	150W
		SCL-153P	150W		SURESLIDE	6672	150W
		S-600P	600W			6674	150W
	CASETA	PD-6WCL	150W	EATON	SMART DIMMER	AAL06	300W
		PD-5NE	150W	PASS & SEYMOUR	HARMONY	DCL453PTCCCV6	150W
		PD-10NXD	250W	GE	ROCKER	10464	150W
	DIVA	DVCL-153P	150W		TOGGLE	18027	150W