

ACCRETION

ROUND SURFACE MOUNT FIXTURE

 Lifetime: 50,000 hours
 Warranty: 3 years

G-12208

G-12212

G-12216

G-12220

G-12224



ITEM	G-12208 8"	G-12212 12"	G-12216 16"	G-12220 20"	G-12224 24"
DESCRIPTION	AC8/15W/R/LED/5CCT	AC12/24W/R/LED/5CCT	AC16/30W/R/LED/5CCT	AC20/30W/R/LED/5CCT	AC24/40W/R/LED/5CCT
VOLTAGE	120V	120V	120V	120-277V	120-277V
WATTS	15	24	30	30	40
LUMENS	1000	1750	2300	3000	3850
BEAM ANGLE	120	120	120	120	120
DIMMABLE	Triac	Triac	Triac	Triac or 0 to 10V	Triac or 0 to 10V
COLOR TEMP	30, 35, 41, 50, 65k	30, 35, 41, 50, 65k	30, 35, 41, 50, 65k	30, 35, 41, 50, 65k	30, 35, 41, 50, 65k
OD	8.18"	11.53"	15.63"	19.72"	23.62"
HEIGHT	1.00"	1.00"	1.00"	1.00"	1.00"
mA	140mA	200mA	280mA	370mA	370mA
CRI	90	90	90	90	90
IC RATED	YES	YES	YES	YES	YES
PACKED	20	10	6	5	5



Content

Accretion Round Surface Mount Fixture	1
Accessories	2
Dimensions	2
Dimmer List	3

Accessories



Emergency LED Driver

15W G-48410

30W G-48411

25W G-95525

60W G-95521

8" Empty Body



G-12209 - 8"
AC8/R/LED/EM/BODY

Compatible with G-12208


8" Emergency Battery



G-12210 - 8"
AC8/15W/R/LED/5CCT/EM

Compatible with G-12208

Dimensions



Dimmer List

G-12208 / G-12212 / G-12216

BRAND	MODEL
LUTRON	MACL-153MR-WH
	SCL-153P-WH
	S-600P
	PD-6WCL-WH
	CTCL-153P-WH
	DVWCL-153P-WH
	DVCL-153P-WH
LEVITON	6672-1LW

G-12220 / G-12224 TRIAC

BRAND	MODEL
LUTRON	MACL-153MR-WH
	SCL-153P-WH
	PD-6WCL-WH
	CTCL-153P-WH
	MSCL-OP153M-WH
	DVCL-153P-WH
LEVITON	DSL06-1LZ

G-12220 / G-12224 0-10V

BRAND	MODEL
LUTRON	DVTV
	NFTV
	NTSTV-DV
	DVSTV
LEVITON	IP710-DLZ
	DVCL-153P-WH
EATON	DS710