


Altair 3.5"

4 Head Regress Gimbal

Product Information

Color temp	27,30, 35,41, 50k
Output lumens	4900 6800
Beam angle	40°
Input volts	120-277V
Wattage	50W 80W
CRI	90
IC rated	At 50W
Dimmable	Triac or 0-10v
Plenum rated	FT6
Cut out	14.92" X 3.70"
OD	15.35" X 4.13"
Height	4.26"
Packed	4



Lens Options

Clear Lens



G-98825
L3/24-DEGREE



G-98826
L3/40-DEGREE



G-98827
L3/60-DEGREE

Reflector



G-98828
30°-DEGREE



G-98829
40°-DEGREE



Selectable Color



CRI 90+ True Colors



Wet Location



Air Tight



Dimmable




Changing Lens



Accessories



Emergency LED Driver
25W G-95525
60W G-95521




New Construction Plate
G-98814 4 Punch Out



Extension Cords
5ft G-20247
10ft G-20248
20ft G-19822
30ft G-19823

Dimensions



Dimmer list

Brand	Load	Model
LUTRON	150W	LECL-153P
		CTCL-150H
		LGCL-153PLH
		CTCL-153P
		SCL-153P
		PD-6WCL
		PD-5NE
		DVCL-153P
		TGCL-153P
		AYCL-153P
		MSCL-OP153M
		STCL-153M
		DVRF-6L
		250W
	DVCL253	
	DVRP-253	
	MRF2S-6CL	
	300W	DVELV-300P
		SELVB-300P
	600W	MACL-153M
		MRF2-600M
		DVLV603
		MA-600

Brand	Load	Model
LEVITON	150W	IPL06
		6672
		6674
		RDL06-10Z
		RNL06-10Z
	300W	DSL06-1LZ
		D26HD
PASS & SEYMOUR	250W	LSCL450W
		WSCL450W
EATON	300W	DDE06-BLZ
		AAL06

0-10V Dimming	
Brand	Model
LUTRON	DVSTV
	DVSCTV
LEVITON	IP710-DLZ
	DS710-10Z
LEGRAND	RH4FBL3P
COOPER	SF10P