


Aster 1"



Selectable Color



CRI 90+ True Colors



Wet Location



Air Tight



Changing Lens



Dimmable



G-48170



Product Information

Description	M1/5W/LED/5CCT	CRI	90>
Color temp	27, 30, 35, 41, 50k	mA	110mA
Output lumens	350	IC rated	YES
Beam angle	40° Clear (Default)	Dimmable	Triac
Input volts	120V	Plenum rate	FT6
Wattage	5W	Packed	18

G-48470

M1/7W/LED/5CCT

With Clips



G-48171

M1/7W/TLU/LED/5CCT

Without Clips



Product Information *

Color temp	27, 30, 35, 41, 50K	mA	150mA
Output lumens	600	IC rated	YES
Beam angle	40° Clear (Default)	Dimmable	Triac or 0-10 Dimming
Input volts	120-277V	Plenum rate	FT6
Wattage	7W	Packed	18
CRI	90>		

* Ensure to pair the Module with its compatible Trims (See spec sheet for greater detail)

G-48468

M1/15W/LED/5CCT

With Clips



G-48172

M1/15W/TLU/LED/5CCT

Without Clips



Product Information *

Color temp	27, 30, 35, 41, 50k	mA	350mA
Output lumens	1100	IC rated	No
Beam angle	60° Clear (Default)	Dimmable	Triac or 0-10 Dimming
Input volts	120-277V	Plenum rate	FT6
Wattage	15W	Packed	18
CRI	90>		

* Ensure to pair the Module with its compatible Trims (See spec sheet for greater detail)

Lens Options

Clear Lens



G-10951
L1/24-DEGREE G2



G-10952
L1/40-DEGREE G2



G-10953
L1/60-DEGREE G2



G-10950
L1/FROSTED/ G2

Diffuser



G-21751
1/HEX/HC/DIFFUSER



G-10942
1/SOLITE LENS



G-10943
1/PRISMATIC LENS



G-10938
1/BEAMSPLIT LENS

Lens Covers

Accessories



Emergency LED Driver

15W G-48410
25W G-95525
30W G-48411
60W G-95521



Multi Driver Converter

G-48170 use 5W G-95823
G-48470/G-48171 use 7W G-95823
G-48468/G-48172 use 14W G-95825






Extension Cords

5ft G-20247
10ft G-20248
20ft G-19822
30ft G-19823


Trims Options

* Ensure to pair the trims with its compatible module (See spec sheet for greater detail)

	White G-48471 T1/R/W		White G-48472 T1/SQ/W		Black G-48473 T1/R/B		Black G-48474 T1/SQ/B
	Two-tone G-48475 T1/R/BW		Two-tone G-48476 T1/SQ/BW		Bronze G-48477 T1/R/BZ		Bronze G-48478 T1/SQ/BZ
	Brushed Nickel G-48479 T1/R/BN		Brushed Nickel G-48480 T1/SQ/BN		Brushed Brass G-48481 T1/R/BB		Brushed Brass G-48482 T1/SQ/BB
	White Baffle G-22210 T1/R/W/BF						

Product Information

Style	Cut out	OD	Height	Plate	Pack
Trimmed	1.90"	2.25"	Shallow 1.80" / Regular 2.72" / HO 4.47"	G-19975	8/128



Shallow Trim Options

* Ensure to pair the trims with its compatible module (See spec sheet for greater detail)



White

G-48190
T1/R/SHLW/W




Black

G-48191
T1/R/SHLW/BK

Product Information

Style	Cut out	OD	Height	Plate	Pack
Shallow	1.90"	2.25"	Shallow 1.47" / Regular 2.72" / HO 4.47"	G-19975	64



Wave Trim Options *



Adjustable Trim Options *

* Ensure to pair the trims with its compatible module (See spec sheet for greater detail)



Product Information

Style	Cut out	OD	Height	Plate	Pack
Wave	2.08"	2.24	Shallow 1.80" / Regular 2.69" / HO 4.47"	G-19975 0 Punch Out	36
Adjustable	2.95"	3.35"	Shallow 2.37" / Regular 3.25" / HO 4.93"	G-19969 0 Punch Out	36



Round Trimless Options

* Ensure to pair the trims with its compatible module (See spec sheet for greater detail)



White

G-10900

K1/RD/W/TL



Black

G-10901

K1/RD/BL/TL



Nickel

G-10902


K1/RD/BN/TL



Bronze

G-10903

K1/RD/BR/TL




Brushed Brass

G-10904

K1/RD/BB/TL

Product Information

Style	Cut out	OD	Height	Plate	Pack
Trimless round	2.30"	3.94"	Shallow 1.94" / Regular 2.84" / HO 4.60"	G-19975 1 Punch Out	36



Square Trimless Options

* Ensure to pair the trims with its compatible module (See spec sheet for greater detail)



White

G-10906
K1/SQ/W/TL



Black

G-10907
K1/SQ/BL/TL



Nickel

G-10908
K1/SQ/BN/TL



Bronze

G-10909
K1/SQ/BR/TL




Brushed Brass

G-10910
K1/SQ/BB/TL

Product Information

Style	Cut out	OD	Height	Plate	Pack
Trimless square	Sq 2.72" / Rd 3.82"	5.51"	Shallow 2.50" / Regular 3.23" / HO 5.15"	G-19975 4 Punch Out	36



Round Millwork Trim Options

* Ensure to pair the trims with its compatible module (See spec sheet for greater detail)



White
G-21710
TL/MLW/1/RD/WT



Black
G-21711
TL/MLW/1/RD/BK



Bronze
G-21712
TL/MLW/1/RD/BZ




Brushed Nickel
G-21713
T2/TL/MLW/1/RD/BN



Brushed Brass
G-21714
TL/MLW/1/RD/BB

Product Information

Style	Cut out	OD	Height	Pack
Round Millwork	2.32"	2.48"	Shallow 1.94" / Regular 2.9" / HO 4.67"	64



Square Millwork Trim Options

* Ensure to pair the trims with its compatible module (See spec sheet for greater detail)



White

G-21810
TL/MLW/1/SQ/WT



Black

G-21811
TL/MLW/1/SQ/BK



Bronze

G-21812
TL/MLW/1/SQ/BZ



Brushed Nickel

G-21813
TL/MLW/1/SQ/BN




Brushed Brass

G-21814
TL/MLW/1/SQ/BB

Product Information

Style	Cut out	OD	Height	Pack
Square Millwork	2.60"	2.72"	Shallow 1.94" / Regular 2.84" / HO 4.62"	64




Ultra Narrow Trimless Multiple Kit

* Ensure to pair the trims with its compatible module (See spec sheet for greater detail)



Product Information

Style	Cut out	OD	Height	Plate	Pack
Ultra Narrow 1 Head	RD 3.52" SQ 2.24" X 2.95"	5.91"	Shallow 1.67" / Regular 2.56" / HO 4.39"	G-19975 3 Punch Out	24
Ultra Narrow 2 Head	2.24" X 4.92"	7.18" X 5.10"	Shallow 1.67" / Regular 2.56" / HO 4.39"	G-98821 0 Punch Out	24
Ultra Narrow 3 Head	2.24" X 6.89"	9.14" X 5.10"	Shallow 1.67" / Regular 2.56" / HO 4.39"	G-98821 2 Punch Out	24
Ultra Narrow 4 Head	2.24" X 9.88"	12.74" X 5.12"	Shallow 1.67" / Regular 2.56" / HO 4.39"	G-98821 4 Punch Out	24



Multihead Interchangeable Trimless Kits

* Ensure to pair the trims with its compatible module (See spec sheet for greater detail)

Round options



Single Kit

G-10900
K1/RD/W/TL

Cut out 2.30"

Plate G-19975 1 Punch Out

Pack 36




Double Kit

G-90102
1/RD/2H/W/TL/MK

Cut out 2.28" X 5.75"

Plate G-98821 1 Punch Out

Pack 36



Triple Kit

G-90103
1/RD/3H/W/TL/MK

Cut out 2.28" X 9.21"

Plate G-48449 0 Punch Out

Pack 36




Quadruple Kit

G-90104
1/RD/4H/W/TL/MK

Cut out 2.28" X 12.68"

Plate G-98821 5 Punch Out

Pack 36



Square Kit


G-90100
1/RD/4H-SQ/W/TL/MK

Cut out 5.75" X 5.75"



Plate G-98818 0 Punch Out

Pack 12



Face






G-48170



G-48171



G-48172



Multihead Interchangeable Trimless Kits

* Ensure to pair the trims with its compatible module (See spec sheet for greater detail)

Square options




Single Kit

G-91101
1/SQ/1H/W/TL/MK

Cut out SQ 2.57" X 2.57" RD 3.64"

Plate G-19975 3 Punch Out

Pack 36




Double Kit

G-91102
1/SQ/2H/W/TL/MK

Cut out 2.58" X 6.30"

Plate G-98821 1 Punch Out

Pack 12




Triple Kit

G-91103
1/SQ/3H/W/TL/MK

Cut out 2.58" X 10.00"

Plate G-98822 2 Punch Out

Pack 12




Quadruple Kit

G-91104
1/SQ/4H/W/TL/MK

Cut out 2.58" X 13.72"

Plate G-98822 4 Punch Out

Pack 12



Square Kit


G-91100
1/SQ/4H-SQ/W/TL/M

Cut out 6.30" X 6.30"


Plate G-98818 1 Punch Out

Pack 12



Face



G-48170



G-48171



G-48172

