


Aster 2"



Selectable Color



CRI 90+ True Colors



Wet Location



Air Tight



Changing Lens



Dimmable



G-48240



5CCT+DTW Dim to Warm



Product Information

Description	M2/7W/LED/5CCT	CRI	90>
Color temp	27, 30, 35, 41, 50k + DTW	mA	170mA
Output lumens	700	Output volts	33-38V
Beam angle	40° Clear (Default)	IC rated	YES
Input volts	120V	Dimmable	Triac or 0-10 Dimming
Wattage	7W	Dim to warm	Multi select



5CCT+DTW Dim to Warm

G-48340

M2/8W/LED/5CCT

With Clips



G-48241

M2/8W/TLU/LED/5CCT

Without Clips



Product Information *

Color temp	27, 30, 35, 41, 50k	mA	270mA
Output lumens	800	Output volts	33-38V
Beam angle	40° Clear (Default)	IC rated	YES
Input volts	120-277V	Dimmable	Triac or 0-10 Dimming
Wattage	8W	Dim to warm	Multi select
CRI	90>		

* Ensure to pair the Module with its compatible Trims (See spec sheet for greater detail)



5CCT+DTW Dim to Warm

G-20215

M2/14W/WS2/LED/5CCT

With Clips



G-48242

M2/14W/TLU/LED/5CCT

Without Clips



Product Information *

Color temp	27, 30, 35, 41, 50k + DTW	mA	310mA / 190mA
Output lumens	1200 / 750	Output volts	33-38V
Beam angle	60° Clear (Default)	IC rated	YES
Input volts	120-277V	Dimmable	Triac or 0-10 Dimming
Wattage	14W / 8W	Dim to warm	2600K - 1800K
CRI	90>		

* Ensure to pair the Module with its compatible Trims (See spec sheet for greater detail)

G-20213



Product Information

Description	M2/20W/WS2/LED/5CCT	CRI	90>
Color temp	27, 30, 35, 41, 50k	mA	310mA / 460mA
Output lumens	1700 / 1200	Output volts	33-38V
Beam angle	60° Clear (Default)	IC rated	Only at 14W
Input volts	120-277V	Dimmable	Triac or 0-10 Dimming
Wattage	20W / 14W		

Lens Options

Clear Lens



G-10946
L2/24-DEGREE



G-10947
L2/40-DEGREE



G-10948
L2/60-DEGREE



G-10944
L2/FROSTED/80°

Frosted Lens

Lens Covers




G-10918
2/SOLITE LENS



G-10919
2/PRISMATIC LENS



G-10920
2/BEAMSPLIT LENS



G-21752
2/HEX/HC/DIFFUSER

Diffuser

Accessories



Emergency LED Driver

15W G-48410
25W G-95525
30W G-48411
60W G-95521



Multi Driver Converter

G-48240 use 7W G-95823
G-48340/G-48241 use 8W G-95823
G-20215/G-48242 use 8W G-95823
G-20215/G-48242 use 14W G-95825
G-20213 use 14W G-95825
G-20213 use 20W G-95826




Extension Cords

5ft G-20247
10ft G-20248
20ft G-19822
30ft G-19823


Trim Options

* Ensure to pair the trims with its compatible module (See spec sheet for greater detail)



Product Information

Style	Cut out	OD	Height	Plate	Pack
Trimmed Round	2.50"	3.15"	Shallow 2.36" / Regular 2.89" / HO 5.47"	G-19975 1 Punch Out	8/64
Trimmed Square	2.50"	3.15"	Shallow 2.19" / Regular 2.72" / HO 5.30"	G-19975 1 Punch Out	8/64



Shallow Trim Options

Ultra Shallow Trim Options

* Ensure to pair the trims with its compatible module (See spec sheet for greater detail)



White

G-48250
T2/R/SHLW/W



Black

G-48251
T2/R/SHLW/BK



White

G-48260
T2/R/ULTR-SHLW/W




Black

G-48261
T2/R/ULTR-SHLW/BK

Product Information

Style	Cut out	OD	Height	Plate	Pack
Shallow	2.50"	3.15"	Shallow 1.65" / Regular 2.24" / HO 4.76"	G-19975 1 Punch Out	64
Ultra Shallow	2.50"	3.15"	Shallow 1.46" / Regular 2.05" / HO 4.57"	G-19975 1 Punch Out	64

Shallow Face




3.15"

1.24"


1.97"

G-48240




1.65"

G-48340




2.24"

G-20215 / G-20213



4.76"

Ultra Shallow Face




3.15"

1.24"


2.17"

G-48240




1.46"

G-48340



2.05"

G-20215 / G-20213



4.57"

Wave Trim Options

Adjustable Trim Options

* Ensure to pair the trims with its compatible module (See spec sheet for greater detail)



White

G-20720
T2/R/W/WA



Black

G-20721
T2/R/BL/WA



White

G-29720
T/GL/RG/2/RD/WT




Black

G-29721
T/GL/RG/2/RD/BK


Product Information

Style	Cut out	OD	Height	Plate	Pack
Wave	2.55"	3.15"	Shallow 2.05" / Regular 2.57" / HO 5.16"	G-19975 1 Punch Out	64
Adjustable	3.15"	3.74"	Shallow 2.65" / Regular 3.09" / HO 5.49"	G-19975 2 Punch Out	36


Wave Face




G-48240




G-48340




G-20215 / G-20213




Adjustable Face




G-48240



G-48241



G-48242 / G-20213



Narrow Trim Options

* Ensure to pair the trims with its compatible module (See spec sheet for greater detail)



White

G-21520
NT2/R/WT




Black

G-21521
NT2/R/BK





Product Information

Style	Cut out	OD	Height	Plate	Pack
Narrow Trim	2.55"	2.95"	Shallow 2.36" / Regular 2.89" / HO 5.47"	G-98800 3 Punch Out	64



Trimless Options









* Ensure to pair the trims with its compatible module (See spec sheet for greater detail)

 White G-10913 K2/RD/W/TL	 White More Information	 Black G-10914 K2/RD/BL/TL	 Black G-10922 K2/SQ/BL/TL
 Nickel G-10915 K2/RD/BN/TL	 Nickel G-10923 K2/SQ/BN/TL	 Bronze G-10916 K2/RD/BR/TL	 Bronze G-10924 K2/SQ/BR/TL
 Brass G-10917 K2/RD/BB/TL	 Brass G-10925 K2/SQ/BB/TL		

Product Information

Style	Cut out	OD	Height	Plate	Pack
Trimless round	2.80"	4.53"	Shallow 2.36" / Regular 2.89" / HO 5.47"	G-19975 2 Punch Out	36
Trimless square*	Sq 3.10" / Rd 4.32"	6.50"	Shallow 3.15" / Regular 3.68" / HO 6.26"	G-19969 1 Punch Out	36

* White trimless square option have diferent values. Check product specifications sheet.

Trimless Round Face 	G-48240 	G-48241 	G-48242 / G-20213 
Trimless Square Face 	G-48240 	G-48241 	G-48242 / G-20213 

Round Millwork Trim Options

* Ensure to pair the trims with its compatible module (See spec sheet for greater detail)



White

G-21720

TL/MLW/2/RD/WT



Black

G-21721

TL/MLW/2/RD/BK



Bronze

G-21722

TL/MLW/2/RD/BZ



Brushed Nickel

G-21723

TL/MLW/2/RD/BN




Brushed Brass

G-21724

TL/MLW/2/RD/BB

Product Information

Style	Cut out	OD	Height	Pack
Round Millwork	2.76"	2.91"	Shallow 2.36" / Regular 2.95" / HO 5.47"	64



Square Millwork Trim Options

* Ensure to pair the trims with its compatible module (See spec sheet for greater detail)



White

G-21820

TL/MLW/2/SQ/WT



Black

G-21821

TL/MLW/2/SQ/BK



Bronze

G-21822

TL/MLW/2/SQ/BZ



Brushed Nickel

G-21823

TL/MLW/2/SQ/BN




Brushed Brass

G-21824

TL/MLW/2/SQ/BB

Product Information

Style	Cut out	OD	Height	Pack
Square Millwork	3.07"	3.19"	Shallow 2.18" / Regular 2.70" / HO 5.29"	36



Multihead Interchangeable Trimless Kits

* Ensure to pair the trims with its compatible module (See spec sheet for greater detail)

Round options



Single Kit

G-10913
K2/RD/W/TL

Cut out 2.80"

Plate G-19975 2 Punch Out

Pack 36




Double Kit

G-90202
2/RD/2H/W/TL/MK

Cut out 2.72" X 6.61"

Plate G-48318 2 Punch Out

Pack 36



Triple Kit

G-90203
2/RD/3H/W/TL/MK

Cut out 2.72" X 10.51"

Plate G-98821 4 Punch Out

Pack 36



Quadruple Kit

G-90204
2/RD/4H/W/TL/MK

Cut out 2.72" X 14.41"

Plate G-98822 4 Punch Out

Pack 36



Square Kit


G-90200
2/RD/4H-SQ/W/TL/MK

Cut out 6.61" X 6.61"



Plate G-98818 1 Punch Out

Pack 12



Face






G-48240



G-48241



G-48242 / G-20213



Multihead Interchangeable Trimless Kits

* Ensure to pair the trims with its compatible module (See spec sheet for greater detail)

Square options




Single Kit

G-91201
2/SQ/1H/W/TL/MK

Cut out SQ 3.04 X 3.04 RD 4.30"

Plate G-19975 5 Punch Out

Pack 36





Double Kit

G-91202
2/SQ/2H/W/TL/MK

Cut out 3.05" X 7.24"

Plate G-48318 2 Punch Out

Pack 12




Triple Kit

G-91203
2/SQ/3H/W/TL/MK

Cut out 3.03" X 11.38"

Plate G-98822 3 Punch Out

Pack 12




Quadruple Kit

G-91204
2/SQ/4H/W/TL/MK

Cut out 3.03" X 15.55"

Plate G-98822 5 Punch Out

Pack 12



Square Kit


G-91200
2/SQ/4H-SQ/W/TL/M

Cut out 7.20" X 7.20"



Plate G-98818 2 Punch Out

Pack 12



Face



G-48240



G-48241



G-48242 / G-20213

