

Aster 2"

7W Interchangeable Module

Product Information



Description	M2/7W/LED/5CCT
Color temp	27,30,35,41,50K + DTW
Output lumens	700
Beam angle	40° (Default)
Input volts	120V
Wattage	7W
CRI	90>
mA	170mA
Output volts	33-38V
IC rated	YES
Dimmable	Triac or 0-10 Dimming
Dim to warm	Multi Select
Plenum rated	FT6
Pack	18



[See other Module options](#)

Trim Options

Round Trims	Square Trims	Shallow Trims	Ultra Shallow Trims
Wave Trims	Adjustable Trims	Round Trimless	Square Trimless
Millwork Round Trims	Millwork Square Trims	Square Single Head kit	Round Multi 2 Heads
Square Multi 2 Heads	Round Multi 3 Heads	Square Multi 3 Heads	Round Multi 4 Heads
Square Multi 4 Heads	Round Multi 4 Heads Square	Square Multi 4 Heads Square	



5CCT & Multi Dim to Warm Colors

Set to	2700K	3000K	3500K	4000K	5000K
At CCT setting	2700 Kelvin	3000 Kelvin	3500 Kelvin	4000 Kelvin	5000 Kelvin
At Dim to warm setting	2500K - 1800K	2700K - 1800K	3000K - 1800K	3500K - 1800K	4000K - 1800K

Lens Options

Clear Lens



G-10946
L2/24-DEGREE



G-10947
L2/40-DEGREE



G-10948
L2/60-DEGREE



G-10944
L2/FROSTED/80°

Lens Covers



G-10918
2/SOLITE LENS



G-10919
2/PRISMATIC LENS



G-10920
2/BEAMSPLIT LENS



G-21752
2/HEX/HC/DIFFUSER

Diffuser

Accessories



Emergency LED Driver
15W G-48410
25W G-95525
30W G-48411
60W G-95521




Multi Driver Converter
7W G-95823



Extension Cords
5ft G-20247
10ft G-20248
20ft G-19822
30ft G-19823

Driver Dimensions



Dimmer List

Brand	Series	Model	Load	Brand	Series	Model	Load
LUTRON	SKYLARK CONTOUR	LECL-153P	150W	LUTRON	TOGGLER	TGCL-153P	150W
		CTCL-150H	150W		ARIADNI	AYCL-153P	150W
		LGCL-153PLH	150W		MAESTRO	MACL-153M	600W
		CTCL-153P	150W	LEVITON	ILLUMATECH	IPL06	150W
		SCL-153P	150W		SURESIDE	6672	150W
		S-600P	600W			6674	150W
	CASETA	PD-6WCL	150W	EATON	SMART DIMMER	AAL06	300W
		PD-5NE	150W	PASS & SEYMOUR	HARMONY	DCL453PTCCCV6	150W
		PD-10NXD	250W	GE	ROCKER	1064	150W
	DIVA	DVCL-153P	150W		TOGGLE	18027	150W