




Aster 3.5"



G-23501



Product Information

Description	M3.5/10W/LED/5CCT	mA	230mA
Color temp	27, 30, 35, 41, 50k + DTW	Output volts	33-38V
Output lumens	900	IC rated	YES
Beam angle	40° Clear (Default)	Dimmable	Triac or 0-10 Dimming
Input volts	120-277V	Dim to warm	Multi select
Wattage	10W	Plenum rated	FT6
CRI	90>	Packed	18

G-23500



Product Information

Description	M3.5/9/15W/WS2/LED/5CCT	mA	210/350mA
Color temp	27, 30, 35, 41, 50k + DTW	Output volts	33-38V
Output lumens	900/1400	IC rated	YES
Beam angle	40° Clear (Default)	Dimmable	Triac or 0-10 Dimming
Input volts	120-277V	Dim to warm	26k to 18k
Wattage	9/15W	Plenum rated	FT6
CRI	90>	Packed	18

G-23505



Product Information

Description	M3.5/18/30W/WS2/LED/5CCT	mA	420/700 mA
Color temp	27, 30, 35, 41, 50k + DTW	Output volts	33-38V
Output lumens	1700/2700	IC rated	Only at 18W
Beam angle	60° Clear (Default)	Dimmable	Triac or 0-10 Dimming
Input volts	120-277V	Dim to warm	26k to 18k
Wattage	18/30W	Plenum rated	FT6
CRI	90>	Packed	18

G-23502

Product Information

Description	M3.5/12W/ADJ/LED/5CCT	CRI	90
Color temp	27,30, 35, 41, 50k	mA	270mA
Output lumens	1150	Dimmable	Triac or 0-10v
Beam angle	20-55°	IC rated	Yes
Input volts	120-277V	Plenum Rated	FT6
Wattage	12W	Packed	18

Lens Options

Clear Lens



G-23632
L3.5/24-DEGREE



G-23633
L3.5/40-DEGREE




G-23634
L3.5/60-DEGREE




G-23630
L3.5/FROSTED


Reflector Lens Compatible with G-23501 & G-23500




G-23636
L3.5/REFLECTOR/38"



G-23637
L3.5/REFLECTOR/60"



G-23639
L3.5/HO/REFLECT/38"



G-23640
L3.5/HO/REFLECT/60"

Reflector Lens Compatible with G-23505

Lens Covers



G-23641
SOLITE/COVER



G-23642
PRISMATIC/COVER



G-23643
BEAMSPILT/COVER



G-21750
3.5/HEX/HC/DIFFUSER

Diffuser

Accessories



Emergency LED Driver

15W G-48410
25W G-95525
30W G-48411
60W G-95521



Multi Driver Converter




G-23501 use 10W G-95824
G-23500 use 9W G-95824
G-23500 use 14W G-95825
G-23505 use 18W G-95825



Extension Cords


5ft G-20247
10ft G-20248
20ft G-19822
30ft G-19823

Trim Options

 White G-23510 T3.5/R/W/G2	 White G-23520 T3.5/SQ/W/G2	 Black G-23511 T3.5/R/BL/G2	 Black G-23521 T3.5/SQ/BL/G2
 Two-tone G-23512 T3.5/R/BW/G2	 Two-tone G-23522 T3.5/SQ/BW/G2	 Bronze G-23513 T3.5/R/BZ/G2	 Bronze G-23523 T3.5/R/BZ/G2
 Brushed Nickel G-23514 T3.5/R/BN/G2	 Brushed Nickel G-23524 T3.5/SQ/BN/G2	 Brushed Brass G-23515 T3.5/R/BB/G2	 Brushed Brass G-23525 T3.5/SQ/BB/G2
 Brushed Copper G-23516 T3.5/R/BB/G2	 Brushed Copper G-23526 T3.5/SQ/BB/G2	 White Baffle G-22200 T3.5/R/W/BF	

Product Information

Style	Cut out	OD	Height	Plate	Pack
Trimmed	3.75"	4.41"	Shallow 2.36" / Regular 3.53" / HO 5.14" / Beam Adjust 3.56"	G-19975 3 Punch Out	36



Shallow Trim Options*

Ultra Shallow Trim Options*



White

G-23590
T3.5/R/SHLW/W



Black

G-23591
T3.5/R/SHLW/BK



White

G-23600
T3.5/R/ULTR-SHLW/W




Black

G-23601
T3.5/R/ULTR-SHLW/BK

Product Information

Style	Cut out	OD	Height	Plate	Pack
Shallow	3.75"	4.41"	Shallow 1.89" / Beam Adjust 3.08"	G-19975 3 Punch Out	36
Ultra Shallow	3.75"	4.41"	Shallow 1.61" / Beam Adjust 2.81"	G-19975 3 Punch Out	36

* Only compatible with G-23501 and G-23502 modules.



Narrow Trim Options

Wave Trim Options



White

G-23570
NT3.5/R/W



Black

G-23571
NT3.5/R/BK



White

G-20700
T3.5/R/W/WA




Black

G-20701
T3.5/R/BL/WA

Product Information

Style	Cut out	OD	Height	Plate	Pack
Narrow	3.75"	4.12"	Shallow 2.36" / Regular 3.53" / HO 5.14" / Beam Adjust 3.56"	G-19975 3 Punch Out	36
Wave	3.75"	4.41"	Shallow 2.42" / Regular 3.59" / HO 5.20" / Beam Adjust 3.61"	G-19975 3 Punch Out	36



Adjustable Trim Options



White

G-29700
T/GL/RG/3.5/RD/WT




Black

G-29701
T/GL/RG/3.5/RD/BK


Product Information

Style	Cut out	OD	Height	Plate	Pack
Adjustable	4.15"	4.72"	Shallow 2.81" / Regular 3.98" / HO 5.49" / Beam Adjust 3.95"	G-19975 4 Punch Out	36


Round Face




G-23501




G-23500



G-23505



G-23502




Trimless Options



Product Information

Style	Cut out	OD	Height	Plate	Pack
Trimless round	3.85"	6.30"	Shallow 2.36" / Regular 3.53" / HO 5.14"/Beam Adjust 3.56"	G-19975 4 Punch Out	24
Trimless square	Sq 3.77" / Rd 5.35"	7.87"	Shallow 2.30" / Regular 3.47" / HO 5.08" / Beam Adjust 3.50"	G-19975 6 Punch Out	24



Wallwash Trim Options



White

G-23550
T3.5/R/WW/W/G2



White

G-23560
T3.5/SQ/WW/W/G2



Black

G-23551
T3.5/R/WW/BL/G2




Black


G-23561
T3.5/SQ/WW/BL/G2

Product Information

Style	Cut out	OD	Height	Plate	Pack
Wallwash	3.75"	4.61"	Shallow 2.91" / Regular 4.07" / HO 5.57"/Beam Adjust 3.88"	G-19975 3 Punch Out	36



Wall Wash Trimless Options



White

G-23610
K3.5/R/WW/W/TL



Black

G-23611
K3.5/R/WW/BK/TL



White

G-23620
K3.5/SQ/WW/W/TL




Black

G-23621
K3.5/SQ/WW/BK/TL


Product Information

Style	Cut out	OD	Height	Plate	Pack
Wall Wash Trimless Round	4.25"	6.69"	Shallow 3.27" / Regular 4.45" / HO 5.93" / Beam Adjust 4.28"	G-19975 4 punch out	24
Wall Wash Trimless Square	SQ 4.55" X 3.8" RD 5.63"	6.69"	Shallow 3.22" / Regular 4.39" / HO 5.90" / Beam Adjust 4.39"	G-98800 9 punch out	24


Round




G-23501




G-23500




G-23505




G-23502




Square




G-23501




G-23500



G-23505



G-23502



Round Millwork Trim Options



White

G-21700
TL/MLW/3.5/RD/WT



Black

G-21701
TL/MLW/3.5/RD/BK



Bronze

G-21702
TL/MLW/3.5/RD/BZ



Brushed Nickel

G-21703
TL/MLW/3.5/RD/BN




Brushed Brass

G-21704
TL/MLW/3.5/RD/BB

Product Information

Style	Cut out	OD	Height	Pack
Round Millwork	3.75"	4.61"	Shallow 2.36" / Regular 3.53" / HO 5.14" / Beam Adjust 3.56"	36



Square Millwork Trim Options



White

G-21800

TL/MLW/3.5/SQ/WT



Black

G-21801

TL/MLW/3.5/SQ/BK



Bronze

G-21802

TL/MLW/3.5/SQ/BZ



Brushed Nickel

G-21803

TL/MLW/3.5/SQ/BN




Brushed Brass

G-21804

TL/MLW/3.5/SQ/BB

Product Information

Style	Cut out	OD	Height	Pack
Square Millwork	3.80"	3.87"	Shallow 2.30" / Regular 3.47" / HO 5.08" / Beam Adjust 3.50"	36



Multihead Interchangeable Trimless Kits

Round options



Single Kit

G-23530
K3.5/RD/W/TL

Cut out 3.85"

Plate G-19975 4 Punch Out

Pack 24




Double Kit

G-90002
3.5/RD/2H/W/TL/MK

Cut out 3.74" X 9.45"

Plate G-98817 1 Punch Out

Pack 36



Triple Kit

G-90003
3.5/RD/3H/W/TL/MK

Cut out 3.74" X 15.16"

Plate G-98817 2 Punch Out

Pack 36



Quadruple Kit

G-90004
3.5/RD/4H/W/TL/MK

Cut out 3.74" X 20.87"

Plate G-98817 4 Punch Out

Pack 24



Square Kit


G-90000
3.5/RD/4H-SQ/W/TL/MK

Cut out 9.45" X 9.45"



Plate G-98818 4 Punch Out

Pack 12



Face





G-23501





G-23500



G-23505



G-23502



Multihead Interchangeable Trimless Kits

Square options



Single Kit

G-23540
K3.5/SQ/W/TL

Cut out Sq 3.77" / Rd 5.35"

Plate G-19975 6 Punch Out

Pack 24





Double Kit

G-91002
3.5/SQ/2H/W/TL/MK

Cut out 3.72" X 9.37"

Plate G-48448 1 Punch Out

Pack 12




Triple Kit

G-91003
3.5/SQ/3H/W/TL/MK

Cut out 3.72" X 15.02"

Plate G-98817 2 Punch Out

Pack 12



Quadruple Kit

G-91004
3.5/SQ/4H/W/TL/MK

Cut out 3.74" X 20.69"

Plate G-98817 4 Punch Out

Pack 6



Square Kit


G-91000
3.5/SQ/4H-SQ/W/TL/MK

Cut out 9.39" X 9.39"



Plate G-98818 4 Punch Out

Pack 6



Face





G-23501



G-23500



G-23505



G-23502

