


Aster 3"



Selectable
Color



CRI 90+
True Colors



Wet
Location



Air Tight



Changing
Lens



Dimmable



G-96012



Product Information

Description	M3/8W/LED/5CCT	CRI	90>
Color temp	27, 30, 35, 41, 50k	mA	190mA
Output lumens	800	Output volts	33-38V
Beam angle	40° Clear (Default)	IC rated	YES
Input volts	120-277V	Dimmable	Triac or 0-10 Dimming
Wattage	8W	Packed	18

G-96022



Product Information

Description	M3/9W/LED/5CCT	CRI	90>
Color temp	27, 30, 35, 41, 50k	mA	210mA
Output lumens	850	Output volts	33-38V
Beam angle	40° Clear (Default)	IC rated	YES
Input volts	120-277V	Dimmable	Triac or 0-10 Dimming
Wattage	9W	Packed	18

G-96023



Product Information

Description	M3/15W/LED/5CCT	CRI	90>
Color temp	27, 30, 35, 41, 50k + 5DTW	mA	210mA
Output lumens	1400	Output volts	33-38V
Beam angle	60° Clear (Default)	IC rated	YES
Input volts	120-277V	Dimmable	Triac or 0-10 Dimming
Wattage	15W	Packed	18



G-96024

Product Information

Description	M3/24W/LED/5CCT NON-IC	CRI	90>
Color temp	27, 30, 35, 41, 50k	mA	570mA
Output lumens	2100	Output volts	33-38V
Beam angle	60° Clear (Default)	IC rated	NO
Input volts	120-277V	Dimmable	Triac or 0-10 Dimming
Wattage	24W	Packed	18



G-30330

Product Information

Description	M3/15W/LED/RGBWW	CRI	90>
Color temp	RGBWW + Tunable White	mA	350mA
Output lumens	1400 AT CCT	Dimmable	YES
Beam angle	60° Clear (Default)	CCT	RGBWW
Input volts	120-277V	App	Tuya
Wattage	15W	Packed	18



G-96013

Product Information

Description	M3/9W/ADJ/LED/5CCT	CRI	90
Color temp	27,30, 35, 41, 50k	mA	210mA
Output lumens	750-850	Dimmable	Triac or 0-10v
Beam angle	20-55°	IC rated	Yes
Input volts	120-277V	Plenum Rated	FT6
Wattage	9W	Packed	18

Lens Options

Clear Lens



G-98922
L3/24-DEGREE



G-98923
L3/40-DEGREE



G-98924
L3/60-DEGREE



G-98920
L3/FROSTED/80°

Reflector Lens



G-98925
L3/REFLECTOR/30°



G-98926
L3/REFLECTOR/60°



G-21753
3/HEX/HC/DIFFUSER

Lens Covers



G-98927
3/SOLITE LENS



G-98928
3/PRISMATIC LENS



G-98929
3/BEAMSPLIT LENS

Accessories



Emergency LED Driver

15W G-48410
25W G-95525
30W G-48411
60W G-95521



Multi Driver Converter




G-96012 use 8W G-95823
G-96022 use 9W G-95824
G-96023 use 14W G-95825
G-96024 use 24W G-95826



Extension Cords

5ft G-20247
10ft G-20248
20ft G-19822
30ft G-19823



Trims Options

	White G-96025 T3/R/W		White G-96026 T3/SQ/W		Black G-96027 T3/R/B		Black G-96028 T3/SQ/B
	Two-tone G-96029 T3/R/BW		Two-tone G-96120 T3/SQ/BW		Bronze G-96121 T3/R/BZ		Bronze G-96122 T3/SQ/BZ
	Brushed Nickel G-96123 T3/R/BN		Brushed Nickel G-96124 T3/SQ/BN		Brushed Brass G-96125 T3/R/BB		Brushed Brass G-96126 T3/SQ/BB
	Brushed Copper G-96020 T3/RD/BC		Brushed Copper G-96021 T3/SQ/BC		White Baffle G-22230 T3/R/W/BF		Haze G-21953 T3/R/HZ
	Strawberry Red G-21870 T3/R/RED		Tangerine Orange G-21871 T3/R/OG		Lemon Yellow G-21872 T3/R/YL		Apple Green G-21873 T3/R/GN
	Blueberry Blue G-21874 T3/R/BU		Ready to Paint G-23793 T3/R/CSTM				

Product Information

Style	Cut out	OD	Height	Plate	Pack
Trimmed	2.95"	3.70"	Shallow 2.18" / Regular 3.50" / HO 5.50"/Beam Adjust 3.93"	G-19975 2 Punch Out	8/64

Regular Trims Diagram



Shallow Trims Options

Ultra Shallow Trims Options



White

G-23030
T3/R/SHLW/W



Black

G-23031
T3/R/SHLW/BK



White

G-23130
T3/R/ULTR-SHLW/W




Black

G-23131
T3/R/ULTR-SHLW/BK

Product Information

Style	Cut out	OD	Height	Plate	Pack
Shallow	2.95"	3.70"	Shallow 1.55" / Regular 3.00" / HO 5.00" / Beam Adjust 3.42"	G-19975 2 Punch Out	64
Ultra Shallow	2.95"	3.70"	Shallow 1.52" / Regular 2.71" / HO 4.75" / Beam Adjust 3.12"	G-19975 2 Punch Out	64



Narrow Trim Options

Wave Trim Options



White

G-21530
NT3/R/W



Black

G-21531
NT3/R/BK



White

G-20730
T3/R/W/WA/G2



Black

G-20731
T3/R/BL/WA

Product Information

Style	Cut out	OD	Height	Plate	Pack
Narrow Trim	2.95"	3.35"	Shallow 2.18" / Regular 3.50" / HO 5.50" / Beam Adjust 3.90"	G-19969 0 Punch Out	64
Wave Round	2.95"	3.94"	Shallow 2.14" / Regular 3.50" / HO 5.44" / Beam Adjust 3.91"	G-19975 2 Punch Out	64






Narrow Face

G-96012

G-96022

G-96023 / G-96024 / G-30330

G-96013








Wave Face

G-96012

G-96022

G-96023 / G-96024 / G-30330

G-96013



Bevel Square Options



White

G-22730
T3/BVL/SQ/WT




Black


G-22731
T3/BVL/SQ/BK

Product Information

Style	Cut out	OD	Height	Plate	Pack
Bevel Square	2.95"	3.70"	Shallow 2.12" / Regular 3.48" / HO 5.43" / Beam Adjust 3.90"	G-98814 0 Punch Out	64




Wall Wash Options



Product Information

Style	Cut out	OD	Height	Plate	Pack
Wall Wash	2.95"	3.70"	Shallow 2.82" / Regular 4.18" / HO 6.13" / Beam Adjust 4.07"	G-19975 2 Punch Out	8/64



Round Trimless Wallwash Options

Square Trimless Wallwash Options



White

G-29830
K3/R/WW/W/TL



Black

G-29831
K3/R/WW/B/TL



White

G-29930
K3/SQ/WW/W/TL




Black


G-29931
K3/SQ/WW/B/TL

Product Information

Style	Cut out	OD	Height	Plate	Pack
Round	3.15"	5.91"	Shallow 2.80" / Regular 4.35" / HO 6.40" / Beam Adjust 4.63"	G-19975 2 Punch Out	36
Square	RD 4.72" SQ 3.36"	7.29"	Shallow 2.65" / Regular 4.16" / HO 6.55" / Beam Adjust 4.49"	G-19975 6 Punch Out	36




Drop Trims Options



Product Information

Style	Cut out	OD	Height	Plate	Pack
Drop Trim 2"	2.95"	3.70"	Shallow 1.00" / Regular 1.95" / HO 3.80" / Beam Adjust 2.25"	G-19975 2 Punch Out	36
Drop Trim 3/4"	2.95"	3.70"	Shallow 1.25" / Regular 2.62" / HO 4.58" / Beam Adjust 3.02"	G-19975 2 Punch Out	36



Drop Lens Trim Options




White

G-98930
DL3/R/FR


Product Information

Style	Cut out	OD	Height	Plate	Pack
Drop Lens	2.95"	3.70"	Shallow 2.09" / Regular 3.44" / HO 5.39"	G-19975 2 Punch Out	36


Drop Lens Face




G-96012



G-96022



G-96023 / G-96024 / G-30330



Architectural Drop Lens Trim



Clear

G-98931

DL/ARC/3/R/CR




Frosted

G-98932

DL/ARC/3/R/FR

Product Information

Style	Cut Out	OD	Height	Pack
Architectural Drop Lens Trim	2.95"	3.70"	W/G-96012 1.53" / W/G-96022 2.75" / W/G-96023-96024-30330 4.70"	36



Pinhole Options



White

G-21640
T/PH/3/RD/W



White

G-21650
T/PH/3/SQ/W



Black

G-21641
T/PH/3/RD/BK




Black

G-21651
T/PH/3/SQ/BK


Product Information

Style	Cut out	OD	Height	Plate	Pack
Pinhole	2.95"	3.7"	Shallow 2.18" / Regular 3.50" / HO 5.50" / Beam Adjust 3.90"	G-19975 2 Punch Out	8/64


Round Face




Square Face




G-96012




G-96022



G-96023 / G-96024 / G-30330



G-96013



Gimbal Options



White

G-21930
T/GL/3/RD/WT




Black

G-21931
T/GL/3/RD/BK



Bronze

G-21932
T/GL/3/RD/BZ




Brushed Nickel

G-21933
T/GL/3/RD/BN



Brushed Brass

G-21934
T/GL/3/RD/BB




Brushed Copper

G-21935
T/GL/3/RD/BC

Product Information

Style	Cut out	OD	Height	Plate	Pack
Gimbal trim	3.62"	3.94"	Shallow 1.82" / Regular 3.26" / HO 5.16" / Beam Adjust 3.65"	G-19975 3 Punch Out	36



Gimbal Trimless Options



White

G-21970
TL/GL/3/RD/WT




Black


G-21971
TL/GL/3/RD/BK

Product Information

Style	Cut out	OD	Height	Plate	Pack
Gimbal trimless	3.75"	6.10"	Shallow 2.31" / Regular 3.63" / HO 5.55" / Beam Adjust 4.02"	G-19975 3 Punch Out	24




Adjustable Trims Options



Product Information

Style	Cut out	OD	Height	Plate	Pack
Adjustable	3.54"	4.00"	Shallow 2.54" / Regular 3.70" / HO 5.92" / Beam Adjustable 4.09"	G-19975 3 Punch Out	36



Adjustable Trimless Options



White

G-29630
TL/ADJ/3/RD/WT




Black





G-29631
TL/ADJ/3/RD/BK

Product Information

Style	Cut out	OD	Height	Plate	Pack
Adjustable	3.65"	6.10"	Shallow 2.46" / Regular 3.72" / HO 5.62" / Beam Adjustable 4.12"	G-19975 3 Punch Out	24




Trimless Options

 White G-10927 K3/RD/W/TL	 White More Information	 Black G-10928 K3/RD/BL/TL	 Black G-10934 K3/SQ/BL/TL
 Nickel G-10929 K3/RD/BN/TL	 Nickel G-10935 K3/SQ/BN/TL	 Bronze G-10930 K3/RD/BR/TL	 Bronze G-10936 K3/SQ/BR/TL
 Brushed Brass G-10931 K3/RD/BB/TL	 Brushed Brass G-10937 K3/SQ/BB/TL		

Product Information

Style	Cut out	OD	Height	Plate	Pack
Round	3.10"	4.72"	Shallow 2.16" / Regular 3.52" / HO 5.46" / Beam Adjustable 4.32"	G-19975 2 Punch Out	36
Square	Sq 3.46" Rd 4.90"	7.09"	Shallow 3.00" / Regular 4.30" / HO 6.25" / Beam Adjustable 4.77"	G-19975 6 Punch Out	36

*White trimless square option have different values. Check product specifications sheet.



Round Millwork Trim Options



White

G-21730
TL/MLW/3/RD/WT



Black

G-21731
TL/MLW/3/RD/BK



Bronze

G-21732
TL/MLW/3/RD/BZ



Brushed Nickel

G-21733
T2/TL/MLW/3/RD/BN




Brushed Brass

G-21734
TL/MLW/3/RD/BB

Product Information

Style	Cut out	OD	Height	Pack
Round Millwork	3.09"	3.25"	Shallow 2.16" / Regular 3.52" / HO 5.46" / Beam Adjustable 3.92"	64



Square Millwork Trim Options



White

G-21830
TL/MLW/3/SQ/WT



Black

G-21831
TL/MLW/3/SQ/BK



Bronze

G-21832
TL/MLW/3/SQ/BZ



Brushed Nickel

G-21833
TL/MLW/3/SQ/BN




Brushed Brass

G-21834
TL/MLW/3/SQ/BB

Product Information

Style	Cut out	OD	Height	Pack
Square Millwork	3.39"	3.78"	Shallow 2.00" / Regular 3.36" / HO 5.31" / Beam Adjustable 3.97"	36



Multihead Interchangeable Trimless Kits

Round options




Single Kit

G-10927
K3/RD/W/TL

Cut out 3.10"

Plate G-19975 2 Punch Out

Pack 36




Double Kit

G-90302
3/RD/2H/W/TL/MK

Cut out 3.05" X 7.28"

Plate G-48318 2 Punch Out

Pack 36



Triple Kit

G-90303
3/RD/3H/W/TL/MK

Cut out 3.05" X 11.52"

Plate G-48449 1 Punch Out

Pack 36




Quadruple Kit

G-90304
3/RD/4H/W/TL/MK

Cut out 3.05" X 15.75"

Plate G-98822 5 Punch Out

Pack 36



Square Kit


G-90300
3/RD/4H-SQ/W/TL/MK

Cut out 7.28" X 7.28"


Plate G-98818 2 Punch Out

Pack 12


Face




G-96012








G-96022



G-96023 / G-96024 / G-30330




G-96013



Multihead Interchangeable Trimless Kits

Square options



Single Kit

G-91301
3/SQ/1H/W/TL/MK

Cut out SQ 3.35" X 3.35" RD 4.73"

Plate G-19975 6 Punch Out

Pack 36





Double Kit

G-91302
3/SQ/2H/W/TL/MK

Cut out 3.36" X 7.86"

Plate G-98817 0 Punch Out

Pack 12




Triple Kit

G-91303
3/SQ/3H/W/TL/MK

Cut out 3.35" X 12.32"

Plate G-48449 1 Punch Out

Pack 12




Quadruple Kit

G-91304
3/SQ/4H/W/TL/MK

Cut out 3.35" X 16.81"

Plate G-98817 3 Punch Out

Pack 12



Square Kit


G-91300
3/SQ/4H-SQ/W/TL/M

Cut out 7.83" X 7.83"


Plate G-98818 3 Punch Out

Pack 12


Face




G-96012



G-96022



G-96023 / G-96024 / G-30330



G-96013

