


Aster 5"

Interchangeable Module

Product Information

Description	5" Interchangeable Module
Color temp	27, 30, 35, 41, 50k
Output lumens	2200/5000
Beam angle	50° (Default)
Input volts	120-277V
Wattage	23/50W
CRI	90>
mA	600/1250mA
Output volts	33-38V
IC rated	When set to 23W only
Dimmable	Triac or 0-10 Dimming
Plenum rated	Chicago
Packed	12

[See other Modules options](#)



Trim Options




[Round/Square Trims](#)

[Shallow Trims](#)

[Ultra Shallow Trims](#)

[Round Trimless](#)

[Square Trimless](#)



Lens Options

Reflector Lens



G-22572
5/24-DGREE



G-22573
5/38-DGREE



G-22570
5/FROSTED LENS/50°



G-22579
5/HC/HEX/LOUVR

Lens Covers



G-22580
5/PRISMATIC COVER



G-22581
5/SOLITE COVER



G-22582
5/BEAMSPLIT LENS

Accessories



Emergency LED Driver


25W G-95525
30W G-48411
60W G-95521



BX Extension Cords

15ft G-98628
30ft G-98629

Driver Dimensions



Dimmer List

Brand	Load	Model
LUTRON	150W	LECL-153P
		CTCL-150H
		LGCL-153PLH
		CTCL-153P
		SCL-153P
		PD-6WCL
		PD-5NE
		DVCL-153P
		TGCL-153P
		AYCL-153P
		MSCL-OP153M
		STCL-153M
		DVRF-6L
	250W	PD-10NXD
		DVCL253
		DVRP-253
	300W	MRF2S-6CL
		DVELV-300P
	600W	SELVB-300P
		MACL-153M
		MRF2-600M
		DVLV603
		MA-600

Brand	Load	Model
LEVITON	150W	IPL06
		6672
		6674
		RDL06-10Z
		RNL06-10Z
	300W	DSL06-1LZ
PASS & SEYMOUR	250W	D26HD
		LSCL450W
	300W	WSCL450W
EATON		300W
	AAL06	

0-10V Dimming	
Brand	Model
LUTRON	DVSTV
	DVSCTV
LEVITON	IP710-DLZ
	DS710-10Z
LEGRAND	RH4FBL3P
COOPER	SF10P