


Aster 6"

Interchangeable Module

Product Information

Description	6" Interchangeable Module
Color temp	27, 30, 35, 41, 50k
Output lumens	3800/7200
Beam angle	60° (Default)
Input volts	120-277V
Wattage	40/82W
CRI	90>
mA	890/1850mA
Output volts	33-38V
IC rated	When set to 40W only
Dimmable	Triac or 0-10 Dimming
Plenum rated	Chicago
Packed	6



[See other Modules options](#)

Trim Options

- [Round/Square Trims](#)
- [Shallow Trims](#)
- [Ultra Shallow Trims](#)
- [Round Trimless](#)
- [Square Trimless](#)

CRI 90+ True Colors

Wet Location

60° Beam Angle

Changing Lens

Dimmable

Wattage Selectable

JA8 TITLE 24

ETL US

FC

Lens Options

Reflector Lens



G-22676
L6/24-DEGREE



G-22677
L6/40-DEGREE



G-22678
L6/60-DEGREE



G-22670
L6/FROSTED/60°

Lens Covers



G-22680
6/PRISMATIC COVER



G-22681
6/SOLITE COVER



G-22682
6/BEAMSPLIT LENS



G-22679
6/HC/HEX/LOUVR

Diffuser

Accessories



Emergency LED Driver


25W G-95525
60W G-95521



BX Extension Cords

15ft G-98628
30ft G-98629

Driver Dimensions



Dimmer List

Brand	Load	Model
LUTRON	150W	LECL-153P
		CTCL-150H
		LGCL-153PLH
		CTCL-153P
		SCL-153P
		PD-6WCL
		PD-5NE
		DVCL-153P
		TGCL-153P
		AYCL-153P
		MSCL-OP153M
		STCL-153M
		DVRF-6L
	250W	PD-10NXD
		DVCL253
		DVRP-253
		MRF2S-6CL
	300W	DVELV-300P
		SELVB-300P
	600W	MACL-153M
		MRF2-600M
		DVLV603
		MA-600

Brand	Load	Model
LEVITON	150W	IPL06
		6672
		6674
		RDL06-10Z
		RNL06-10Z
	300W	DSL06-1LZ
PASS & SEYMOUR	250W	D26HD
		LSCL450W
	300W	WSCL450W
		DDE06-BLZ
EATON	300W	AAL06

0-10V Dimming

Brand	Model
LUTRON	DVSTV
	DVSCTV
LEVITON	IP710-DLZ
	DS710-10Z
LEGRAND	RH4FBL3P
COOPER	SF10P