





Eclipse

Oval Clip-In Steplight

Product Information

Description	ST/5W/OV/CLPLED/5CCT/WH
Color temp	27, 30, 35, 41, 50k
Shape	Oval
Output lumens	350
Beam angle	36°
Input volts	120V
Wattage	5W
CRI	90>
mA	110mA
IC rated	YES
Dimmable	Triac
Plenum rated	FT6
Cut out	3.05" X 1.85"
Height	4.96"
Width	3.15"
Depth	1.48"
Packed	18



Accessories



Emergency LED Driver

15W G-48410
25W G-95525
30W G-48411
60W G-95521



Multi Light Driver

5W G-95823



Extension Cords


5ft G-20247
10ft G-20248
20ft G-19822
30ft G-19823



New Construction Plate

G-98819 Vertical

Dimensions



Dimmer list

Brand	Load	Model
LUTRON	150W	LECL-153P
		CTCL-150H
		LGCL-153PLH
		CTCL-153P
		SCL-153P
		PD-6WCL
		PD-5NE
		DVCL-153P
		DVRF-6L
		TGCL-153P
		AYCL-153P
		STCL-153M
		MRF2S-6CL
		MSCL-OP153M

Brand	Load	Model
LUTRON	250W	PD-10NXD
		DVCL253
		DVRP-253
	300W	CTCL-153P
		SCL-153P
	600W	PD-6WCL
PD-5NE		
DVCL-153P		
LEVITON	150W	IPL06
		6672
EATON	300W	AAL06

0-10V Dimming

Brand	Model
LUTRON	DVSTV
	DVSCTV
LEVITON	IP710-DLZ
	DS710-10Z
LEGRAND	RH4FBL3P
COOPER	SF10P