






Eclipse

Vertical Clip-In Steplight

Product Information

Description	ST/5W/V/CLP/LED/5CCT/WH
Color temp	27, 30, 35, 41, 50k
Shape	Vertical
Output lumens	200
Beam angle	80°
Input volts	120V
Wattage	5W
CRI	90+
mA	110mA
IC rated	YES
Dimmable	Triac
Plenum rated	FT6
Cut out	2.50" X 2.50"
OD	3.07" X 4.95"
Depth	1.50"
Packed	18



Accessories



Emergency LED Driver
15W G-48410
25W G-95525
30W G-48411
60W G-95521



Multi Light Driver
5W G-95823




Extension Cords
5ft G-20247
10ft G-20248
20ft G-19822
30ft G-19823



New Construction Plate
G-98819

Dimensions



Dimmer list

Brand	Load	Model	Brand	Load	Model
LUTRON	150W	LECL-153P	LUTRON	250W	PD-10NXD
		CTCL-150H			DVCL253
		LGCL-153PLH			DVRP-253
		CTCL-153P		300W	CTCL-153P
		SCL-153P			SCL-153P
		PD-6WCL		600W	PD-6WCL
		PD-5NE			PD-5NE
		DVCL-153P			DVCL-153P
		DVRF-6L		LEVITON	150W
		TGCL-153P	6672		
		AYCL-153P	EATON	300W	AAL06
		STCL-153M			
		MRF2S-6CL			
		MSCL-OP153M			

0-10V Dimming

Brand	Model
LUTRON	DVSTV
	DVSCTV
LEVITON	IP710-DLZ
	DS710-10Z
LEGRAND	RH4FBL3P
COOPER	SF10P