

Fire Rated 3" Round Flushed Slim

Product Information

Description	S3/8W/R/LED/5CCT FR
Color temp	27, 30, 35, 41, 50k
Output lumens	600
Beam angle	100°
Input volts	120/277V
Wattage	8W
CRI	90>
mA	190mA
Output volts	33-38V
Dimmable	Triac Or 0-10V Dimming
Cut out	2.85"
OD	3.70"
Height	1.67"
Wire	FT6 Plenum rated
Certified	UL 263 & ASTM E119
Packed	18



Additional Sizes

- 4 Inch
- 5 Inch
- 6 Inch

Color Cover Options

- Black**
G-48370
- Brushed Nickel**
G-48371
- Bronze**
G-48372
- Brushed Brass**
G-48382
- Strawberry Red**
G-23730
- Tangerine Orange**
G-23731
- Lemon Yellow**
G-23732
- Apple Green**
G-23733
- Blueberry Blue**
G-23734
- Rose Blush**
G-23735

- CRI 90+ True Colors**
- Wet Location**
- Air Tight**
- Dimmable**
- IC Rated**
- Fire Rated**
- JA8 TITLE 24**
- ETL LISTED**
- FC**

Accessories



Emergency LED Driver

15W G-48410
25W G-95525
30W G-48411
60W G-95521



Multi Light Driver

8W G-95823



Extension Cords

5ft G-20247
10ft G-20248
20ft G-19822
30ft G-19823




New Construction Plate

G-19975 2 Punch Out



New Construction Plate


G-19979 2 Punch Out



New Construction Plate

G-19969 0 Punch Out

Dimensions



Dimmer List

Brand	Series	Model	Load	Brand	Series	Model	Load
LUTRON	SKYLARK CONTOUR	LECL-153P	150W	LUTRON	TOGGLER	TGCL-153P	150W
		CTCL-150H	150W		ARIADNI	AYCL-153P	150W
		LGCL-153PLH	150W		MAESTRO	MACL-153M	600W
		CTCL-153P	150W	LEVITON	ILLUMATECH	IPL06	150W
		SCL-153P	150W		SURESIDE	6672	150W
		S-600P	600W			6674	150W
	CASETA	PD-6WCL	150W	EATON	SMART DIMMER	AAL06	300W
		PD-5NE	150W	PASS & SEYMOUR	HARMONY	DCL453PTCCCV6	150W
		PD-10NXD	250W	GE	ROCKER	1064	150W
	DIVA	DVCL-153P	150W		TOGGLE	18027	150W