

# Fire Rated 4" Round Flushed Slim

## Product Information

Description	S4/12W/R/LED/5CCT FR
Color temp	27, 30, 35, 41, 50k
Output lumens	925
Beam angle	100°
Input volts	120/277V
Wattage	12W
CRI	90+
mA	270mA
Output volts	33-38V
Dimmable	Triac Or 0-10V Dimming
Cut out	3.90"
OD	4.72"
Height	1.67"
Wire	FT6 Plenum rated
Certified	UL 263 & ASTM E119
Packed	18



## Additional Sizes

- 3 Inch [↗](#)
- 5 Inch [↗](#)
- 6 Inch [↗](#)

## Color Cover Options

- Black**  
G-48373
- Brushed Nickel**  
G-48374
- Bronze**  
G-48375
- Brushed Brass**  
G-48383
- Strawberry Red**  
G-23740
- Tangerine Orange**  
G-23741
- Lemon Yellow**  
G-23742
- Apple Green**  
G-23743
- Blueberry Blue**  
G-23744
- Rose Blush**  
G-23745

- CRI 90+ True Colors
- Wet Location
- Air Tight
- Dimmable
- IC Rated
- Fire Rated
- JA8 TITLE 24
- ETL US
- FC

## Accessories



### Emergency LED Driver

15W G-48410  
25W G-95525  
30W G-48411  
60W G-95521




### Multi Light Driver

12W G-95824



### Extension Cords

5ft G-20247  
10ft G-20248  
20ft G-19822  
30ft G-19823




### New Construction Plate

G-19975 4 Punch Out



### New Construction Plate


G-19979 4 Punch Out



### New Construction Plate

G-19969 1 Punch Out

## Dimensions



## Dimmer List

Brand	Series	Model	Load	Brand	Series	Model	Load
LUTRON	SKYLARK CONTOUR	LECL-153P	150W	LUTRON	TOGGLER	TGCL-153P	150W
		CTCL-150H	150W		ARIADNI	AYCL-153P	150W
		LGCL-153PLH	150W		MAESTRO	MACL-153M	600W
		CTCL-153P	150W	LEVITON	ILLUMATECH	IPL06	150W
		SCL-153P	150W		SURESLIDE	6672	150W
		S-600P	600W	6674	150W		
	CASETA	PD-6WCL	150W	EATON	SMART DIMMER	AAL06	300W
		PD-5NE	150W	PASS & SEYMOUR	HARMONY	DCL453PTCCCV6	150W
		PD-10NXD	250W	GE	ROCKER	1064	150W
	DIVA	DVCL-153P	150W		TOGGLE	18027	150W