Glimmer Surface Mount G2

5 Selectable Color | 90+ CRI 90+ True Colors | Wet Location | Air Tight | 120° Beam Angle | Dimmable | IC Rated

JA8 TITLE 24 | ETL LISTED | FC

5″

G-13050



Product Information

5CCT	30, 35, 41, 50, 65k	OD	5.39″
Watt	8	Height	0.92″
Lumens	600	mA	70mA
Beam Angle	120	CRI	90
Voltage	120-277	IC Rated	Yes
Dimmable	Triac	Pack	60

Color Covers



Black G-13051



Oil Rubbed Bronze G-13052



Brushed Nickel G-13053



Brushed Brass G-13054



Brushed Cooper G-13055



Red G-13056



Orange G-13057



Yellow G-13058



Green G-13059



Blue G-13060



Rose Blush G-13061

Made In China
Goodlite Products. Tinton Falls NJ 07753.

7″

G-13070

Product Information

5CCT	30, 35, 41, 50, 65k	OD	7.03″
Watt	12	Height	0.92″
Lumens	950	mA	95mA
Beam Angle	120	CRI	90
Voltage	120-277	IC Rated	Yes
Dimmable	Triac	Pack	40

Color Covers


Black
G-13071


Oil Rubbed Bronze
G-13072


Brushed Nickel
G-13073


Brushed Brass
G-13074


Brushed Cooper
G-13075


Red
G-13076


Orange
G-13077


Yellow
G-13078


Green
G-13079


Blue
G-13080


Rose Blush
G-13081

9″

G-13090

Product Information

5CCT	30, 35, 41, 50, 65k	OD	8.81″
Watt	18	Height	0.92″
Lumens	1600	mA	145mA
Beam Angle	120	CRI	90
Voltage	120-277	IC Rated	Yes
Dimmable	Triac or 0-10v	Pack	20


Color Covers


Black
G-13091


Oil Rubbed Bronze
G-13092


Brushed Nickel
G-13093


Brushed Brass
G-13094



Brushed Cooper
G-13095


Red
G-13096


Orange
G-13097


Yellow
G-13098


Green
G-13099


Blue
G-13100


Rose Blush
G-13101

12″

G-13120

Product Information

5CCT	30, 35, 41, 50, 65k	OD	11.77"
Watt	24	Height	0.92″
Lumens	2150	mA	195mA
Beam Angle	120	CRI	90
Voltage	120-277	IC Rated	Yes
Dimmable	Triac or 0-10v	Pack	10

Color Covers


Black G-13121


Oil Rubbed Bronze G-13122


Brushed Nickel G-13123



Brushed Brass G-13124


Brushed Cooper G-13125


Red G-13126


Orange G-13127


Yellow G-13128


Green G-13129


Blue G-13130


Rose Blush G-13131

14″

G-13140

Product Information

5CCT	30, 35, 41, 50, 65k	OD	13.80″
Watt	28	Height	0.92″
Lumens	2500	mA	230mA
Beam Angle	120	CRI	90
Voltage	120-277	IC Rated	Yes
Dimmable	Triac or 0-10v	Pack	10

Color Covers


Black G-13141


Oil Rubbed Bronze G-13142


Brushed Nickel G-13143


Brushed Brass G-13144


Brushed Cooper G-13145


Red G-13146


Orange G-13147


Yellow G-13148


Green G-13149


Blue G-13150


Rose Blush G-13151

Made In China
Goodlite Products. Tinton Falls NJ 07753.

Accessories




Emergency LED Driver


25W G-95525
30W G-48411
60W G-95521

Dimensions


G-13050




G-13070



G-13090



G-13120



G-13140

