



# Horizon 4"

## Round Flat Gimbal

### Product Information

Description	R/4/FL/GBL/10W/5CCT
Color temp	27, 30, 35, 41, 50K
Output lumens	900
Beam angle	100°
Tilt angle	30°
Input volts	120-277V
Wattage	10W
CRI	90+
mA	230mA
IC rated	Yes
Dimmable	Triac Or 0-10V
Plenum rated	FT6
Cutout	4.25"
Height	1.64"
Width	4.96"
Packed	18



## Accessories



### Emergency LED Driver

15W G-48410  
25W G-95525  
30W G-48411  
60W G-95521



### Multi Driver Converter

10W G-95824



### New Construction Plate


G-19975 4 Punch Out



### New Construction Plate

G-19979 4 Punch Out

## Driver Dimensions



# Dimmer list

Brand	Load	Model	
LUTRON	150W	LECL-153P	
		CTCL-150H	
		LGCL-153PLH	
		CTCL-153P	
		SCL-153P	
		PD-6WCL	
		PD-5NE	
		DVCL-153P	
		TGCL-153P	
		AYCL-153P	
		MSCL-OP153M	
		STCL-153M	
		DVRF-6L	
		250W	PD-10NXD
			DVCL253
	DVRP-253		
	MRF2S-6CL		
	300W	DVELV-300P	
		SELVB-300P	
	600W	MACL-153M	
		MRF2-600M	
		DVLV603	
		MA-600	

Brand	Load	Model
LEVITON	150W	IPL06
		6672
		6674
		RDL06-10Z
		RNL06-10Z
	300W	DSL06-1LZ
		D26HD
PASS & SEYMOUR	250W	LSCL450W
		WSCL450W
EATON	300W	DDE06-BLZ
		AAL06

## 0-10V Dimming

Brand	Model
LUTRON	DVSTV
	DVSCTV
LEVITON	IP710-DLZ
	DS710-10Z
LEGRAND	RH4FBL3P
COOPER	SF10P