

Horizon 6"

Round Flat Gimbal



Product Information

Description	R/6/FL/GBL/20W/5CCT
Color temp	27, 30, 35, 41, 50K
Output lumens	1800
Beam angle	100°
Tilt angle	30°
Input volts	120-277V
Wattage	20W
CRI	90+
mA	480mA
IC rated	Yes
Dimmable	Triac Or 0-10V
Plenum rated	FT6
Cutout	6.30"
Height	2.10"
Width	7.17"
Packed	18



G-25260

5 Selectable Color



Accessories



Emergency LED Driver

25W G-95525
30W G-48411
60W G-95521



Multi Driver Converter

20W G-95826



New Construction Plate


G-19975 7 Punch Out



New Construction Plate

G-19979 7 Punch Out

Driver Dimensions



Dimmer list

Brand	Load	Model
LUTRON	150W	LECL-153P
		CTCL-150H
		LGCL-153PLH
		CTCL-153P
		SCL-153P
		PD-6WCL
		PD-5NE
		DVCL-153P
		TGCL-153P
		AYCL-153P
		MSCL-OP153M
		STCL-153M
		DVRF-6L
		250W
	DVCL253	
	DVRP-253	
	MRF2S-6CL	
	300W	DVELV-300P
		SELVB-300P
	600W	MACL-153M
		MRF2-600M
		DVLV603
		MA-600

Brand	Load	Model
LEVITON	150W	IPL06
		6672
		6674
		RDL06-10Z
		RNL06-10Z
	300W	DSL06-1LZ
		D26HD
PASS & SEYMOUR	250W	LSCL450W
		WSCL450W
EATON	300W	DDE06-BLZ
		AAL06

0-10V Dimming

Brand	Model
LUTRON	DVSTV
	DVSCVT
LEVITON	IP710-DLZ
	DS710-10Z
LEGRAND	RH4FBL3P
COOPER	SF10P