



Moon 2"

Round Trimless Drop Lens

Product Information

Description	DL2/12W/RD/2WS/5CCT/TL
Color temp	27, 30, 35, 41, 50K
Output lumens	550/850
Beam angle	130°
Input volts	120/277V
Wattage	8W/12W
CRI	90>
mA	180/310mA
IC rated	Only at 8W
Dimmable	Triac or 0-10V
Plenum rated	FT6
Cut out	2.28"
Height	2.32"
Width	3.94"
Lens width	2.13"
Lens drop	0.79"
Packed	18



Accessories



Emergency LED Driver

15W G-48410
25W G-95525
30W G-48411
60W G-95521



Multi Light Driver

8W G-95823
12W G-95824



Extension Cords

5ft G-20247
10ft G-20248
20ft G-19822
30ft G-19823



New Construction Plate

G-19975 1 Punch Out



New Construction Plate

G-19979 1 Punch Out

Multihead Accessories



Round Double Head Trimless Kit G-90102

Description 1/RD/2H/W/TL/MK

Plate G-98821 1 Punch Out



Round Triple Head Trimless Kit G-90103

Description 1/RD/3H/W/TL/MK


Plate G-48449 0 Punch Out



Round Quadruple Head Trimless Kit G-90104

Description 1/RD/4H/W/TL/MK

Plate G-98821 5 Punch Out



Round Quadruple Head Trimless Square-Kit G-90100

Description 1/RD/4H-SQ/W/TL/MK

Plate G-98818 0 Punch Out

Dimensions

