



Moon 4"

Square Trimless Drop Lens

Product Information

Description	DL4/20W/SQ/2WS/5CCT/TL
Color temp	27, 30, 35, 41, 50K
Output lumens	1200/1700
Beam angle	130°
Input volts	120/277V
Wattage	15W/20W
CRI	90>
mA	353/515mA
IC rated	Only at 15W
Dimmable	Triac or 0-10V
Plenum rated	FT6
Cut out	Sq 3.23" - Rd 4.40"
Height	1.79"
Width	6.89"
Lens width	2.76"
Lens drop	0.89"
Warranty	5 years
Packed	18



Accessories



Emergency LED Driver
15W G-48410
25W G-95525
30W G-48411
60W G-95521



Multi Light Driver
5W G-95823



Extension Cords
5ft G-20247
10ft G-20248
20ft G-19822
30ft G-19823




New Construction Plate
G-98800 7 Punch Out



New Construction Plate
G-98810 7 Punch Out

Dimensions



Dimmer List

Brand	Load	Model
LUTRON	150W	LECL-153P
		CTCL-150H
		LGCL-153PLH
		CTCL-153P
		SCL-153P
		PD-6WCL
		PD-5NE
		DVCL-153P
		TGCL-153P
		AYCL-153P
		MSCL-OP153M
		STCL-153M
		DVRF-6L
	250W	PD-10NXD
		DVCL253
		DVRP-253
		MRF2S-6CL
	300W	DVELV-300P
		SELVB-300P
	600W	MACL-153M
		MRF2-600M
		DVLV603
		MA-600

Brand	Load	Model
LEVITON	150W	IPL06
		6672
		6674
		RDL06-10Z
	RNL06-10Z	
	300W	DSL06-1LZ
D26HD		
PASS & SEYMOUR	250W	LSCL450W
		WSCL450W
EATON	300W	DDE06-BLZ
		AAL06

0-10V Dimming

Brand	Model
LUTRON	DVSTV
	DVSCTV
LEVITON	IP710-DLZ
	DS710-10Z
LEGRAND	RH4FBL3P
COOPER	SF10P