


NEPTUNE

BACKLIT PANEL 1X4', 2X2', 2X4'



Dimmable:
0-10V



Warranty:
5 years



NEPTUNE BACKLIT PANEL, 1X4', 2X2', 2X4'

	1X4	2X2		2X4	
ITEM	G-11920	G-11921	G-11928 EM	G-11922	G-11929 EM
DESCRIPTION	NP/BP/1X4/50W/WS3/5CCT	NP/BP/2X2/50W/WS3/5CCT	NP/BP/2X2/50W/WS3/5CCT-EM	NP/BP/2X4/70W/WS3/5CCT	NP/BP/2X4/70W/WS3/5CCT-EM
COLOR TEMP	30, 35, 41, 50, 65k	30, 35, 41, 50, 65k	30, 35, 41, 50, 65k	30, 35, 41, 50, 65k	30, 35, 41, 50, 65k
WATTAGE	30/40/50W	30/40/50W	30/40/50W	50/60/70W	50/60/70W
OUTPUT LUMEN	3750/5000/6250	3750/5000/6250	3750/5000/6250	6250/7500/8750	6250/7500/8750
SIZE	1X4	2X2	2X2	2X4	2X4
INPUT VOLTS	120-277	120-277	120-277	120-277	120-277
DIMMABLE	0-10V Dimming	0-10V Dimming	0-10V Dimming	0-10V Dimming	0-10V Dimming
CRI	80	80	80	80	80
DIMENSIONS	11.73" X 47.60"	23.70" X 23.70"	23.70" X 23.70"	23.70" X 47.60"	23.70" X 47.60"
HEIGHT	1.18"	1.18"	1.18"	1.18"	1.18"
BEAM ANGLE	120°	120°	120°	120°	120°
PACKED	1	1	1	1	1

Accessories



Emergency LED Driver

30W G-48411

60W G-95521

25W G-95525



Surface Kit

2X2' G-98222

2X4' G-98224



Flange Kit

2X2' G-48305

2X4' G-48307

Only compatible with G-11928 & G-11929:



Smart Motion Sensor*

G-98210



Motion Sensor*

G-98211




Controller*

G-98212




Diagrams


1X4'



2X2'



2X4'



Dimmable:
0-10V



Warranty:
5 years

