


Pulsar 3"



G-32520

White



G-32530

Black




Product Information

Color Temp	27, 30, 35, 41, 50k	OD	7.28"
Cut out	3.85"	Height	6.57"
Watt	12W	mA	270mA
Lumens	1000	CRI	90
Beam Angle	20 -55	IC Rated	Yes
Voltage	120-277V	Pack	12
Dimmable	Triac or 0-10v		

G-32521

White



G-32531

Black



Product Information

Color Temp	27, 30, 35, 41, 50k	OD	7.28"
Cut out	RD 5.00" SQ 3.60"	Height	6.61"
Watt	12W	mA	270mA
Lumens	1000	CRI	90
Beam Angle	20 -55	IC Rated	Yes
Voltage	120-277V	Pack	12
Dimmable	Triac or 0-10v		

G-32522

White



G-32532

Black



Product Information


Color Temp	27, 30, 35, 41, 50k	OD	6.70" X 11.42"
Cut out	3.75" X 8.40"	Height	6.61"
Watt	24W	mA	530mA
Lumens	1900	CRI	90
Beam Angle	20 -55	IC Rated	Yes
Voltage	120-277V	Pack	6
Dimmable	Triac or 0-10v		

G-32523**White****G-32533****Black****Product Information**


Color Temp	27, 30, 35, 41, 50k	OD	6.70" X 16.15"
Cut out	3.75" X 13.10"	Height	6.57"
Watt	36W	mA	820mA
Lumens	2800	CRI	90
Beam Angle	20 -55	IC Rated	Yes
Voltage	120-277V	Pack	6
Dimmable	Triac or 0-10v		

G-32524**White****G-32534****Black****Product Information**

Color Temp	27, 30, 35, 41, 50k	OD	6.70" X 20.87"
Cut out	3.75" X 17.90"	Height	6.61"
Watt	48W	mA	1100mA
Lumens	3800	CRI	90
Beam Angle	20 -55	IC Rated	Yes
Voltage	120-277V	Pack	4
Dimmable	Triac or 0-10v		

G-32500**White****G-32510****Black****Product Information**


Color Temp	27, 30, 35, 41, 50k	OD	4.72"
Cut out	4.00"	Height	5.82"
Watt	12W	mA	270mA
Lumens	1000	CRI	90
Beam Angle	20 -55	IC Rated	Yes
Voltage	120-277V	Pack	12
Dimmable	Triac or 0-10v		

G-32501**White****G-32511****Black****Product Information**

Color Temp	27, 30, 35, 41, 50k	OD	4.72"
Cut out	3.55" X 4.05"	Height	6.61"
Watt	12W	mA	270mA
Lumens	1000	CRI	90
Beam Angle	20 -55	IC Rated	Yes
Voltage	120-277V	Pack	12
Dimmable	Triac or 0-10v		

G-32502**White****G-32512****Black****Product Information**

Color Temp	27, 30, 35, 41, 50k	OD	4.72" X 9.45"
Cut out	4.10" X 8.15"	Height	6.61"
Watt	24W	mA	530mA
Lumens	1900	CRI	90
Beam Angle	20 -55	IC Rated	Yes
Voltage	120-277V	Pack	6
Dimmable	Triac or 0-10v		

G-32503**White****G-32513****Black****Product Information**

Color Temp	27, 30, 35, 41, 50k	OD	4.72" X 14.17"
Cut out	4.10" X 13.00"	Height	6.61"
Watt	36W	mA	820mA
Lumens	2800	CRI	90
Beam Angle	20 -55	IC Rated	Yes
Voltage	120-277V	Pack	6
Dimmable	Triac or 0-10v		

G-32504**White****G-32514****Black****Product Information**

Color Temp	27, 30, 35, 41, 50k	OD	4.72" X 18.90"
Cut out	4.10" X 17.75"	Height	6.61"
Watt	48W	mA	1100mA
Lumens	3800	CRI	90
Beam Angle	20 -55	IC Rated	Yes
Voltage	120-277V	Pack	6
Dimmable	Triac or 0-10v		