


Pura 3.5"

Round Gimbal

Product Information

Color temp	27, 30, 35, 41, 50k
Output lumens	1850/1400
Beam angle	40° (Default)
Input volts	120-277V
Wattage	20/14W
CRI	90+
mA	480/320mA
Output volts	33-38V
IC rated	Only at 14W
Dimmable	Triac or 0-10V Dimming
Plenum rated	FT6
Cut out	3.50"
OD	4.40"
Height	3.78"
Wire space	12 Cubic inch
Warranty	5 Years
Packed	18

Selectable Color



Product Information

	G-98720	G-98725
Description	PR/3.5/19W/GR/5CCT/WH	PR/3.5/19W/GR/5CCT/BK
Trim finish	White	Black

CRI 90+ True Colors

Wet Location

Air Tight

30° Tilt Angle

Changing Lens


Dimmable

Wattage Selectable




Lens Options

Clear Lens



G-98825
PR/L/24-DEGREE



G-98826
PR/L/40-DEGREE



G-98827
PR/L/60-DEGREE

Reflector Lens



G-98828
PR/L/30°CLR



G-98829
PR/L/40°CLR

Accessories



Emergency LED Driver

15W G-48410
25W G-95525
30W G-48411
60W G-95521




Multi Driver Converter

14W G-95825
20W G-95826



Extension Cords


5ft G-20247
10ft G-20248
20ft G-19822
30ft G-19823



New Construction Plate

G-19981 2 Punch Out

Dimensions



Dimmer list

Brand	Load	Model
LUTRON	150W	LECL-153P
		CTCL-150H
		LGCL-153PLH
		CTCL-153P
		SCL-153P
		PD-6WCL
		PD-5NE
		DVCL-153P
		TGCL-153P
		AYCL-153P
		MSCL-OP153M
		STCL-153M
		DVRF-6L
	250W	PD-10NXD
		DVCL253
		DVRP-253
		MRF2S-6CL
	300W	DVELV-300P
		SELVB-300P
	600W	MACL-153M
		MRF2-600M
		DVLV603
		MA-600

Brand	Load	Model
LEVITON	150W	IPL06
		6672
		6674
		RDL06-10Z
		RNL06-10Z
	300W	DSL06-1LZ
		D26HD
PASS & SEYMOUR	250W	LSCL450W
		WSCL450W
EATON	300W	DDE06-BLZ
		AAL06

0-10V Dimming	
Brand	Model
LUTRON	DVSTV
	DVSCTV
LEVITON	IP710-DLZ
	DS710-10Z
LEGRAND	RH4FBL3P
COOPER	SF10P