




Regulus 2"

Round Trimless Regress Slim

Product Information

Description	RS2/WS2/R/LED/TL/5CCT
Color temp	27, 30, 35, 41, 50k
Output lumens	550/825
Beam angle	100°
Input volts	120/277V
Wattage	8W/12W
CRI	90>
mA	180mA/275mA
Output volts	33-38V
IC rated	Only at 8W
Dimmable	Triac Or 0-10V Dimming
Plenum rated	FT6
Cut out	2.28"
OD	3.94"
Height	2.32"
Packed	18



Accessories



Emergency LED Driver
15W G-48410
25W G-95525
30W G-48411
60W G-95521



Multi Light Driver
8W G-95823
12W G-95824



Extension Cords
5ft G-20247
10ft G-20248
20ft G-19822
30ft G-19823




New Construction Plate
G-98800 3 Punch Out



New Construction Plate
G-98810 3 Punch Out

Multihead Accessories



Round Double Head Trimless Kit
G-90102

Description 1/RD/2H/W/TL/MK
Plate G-98821 1 Punch Out



Round Triple Head Trimless Kit
G-90103

Description 1/RD/3H/W/TL/MK
Plate G-48449 0 Punch Out



Round Quadruple Head Trimless Kit
G-90104


Description 1/RD/4H/W/TL/MK
Plate G-98821 5 Punch Out



Round Quadruple Head Trimless Square-Kit
G-90100

Description 1/RD/4H-SQ/W/TL/MK
Plate G-98818 0 Punch Out

Dimensions



Dimmer List

Brand	Load	Model	Brand	Load	Model
LUTRON	150W	LECL-153P	LEVITON	150W	IPL06
		CTCL-150H			6672
		LGCL-153PLH			6674
		CTCL-153P			RDL06-10Z
		SCL-153P			RNL06-10Z
		PD-6WCL		300W	DSL06-1LZ
		PD-5NE			D26HD
		DVCL-153P	PASS & SEYMOUR	250W	LSCL450W
		TGCL-153P			WSCL450W
		AYCL-153P	EATON	300W	DDE06-BLZ
		MSCL-OP153M			AAL06
		STCL-153M			
		DVRF-6L			
	250W	PD-10NXD			
		DVCL253			
		DVRP-253			
		MRF2S-6CL			
	300W	DVELV-300P			
		SELVB-300P			
	600W	MACL-153M			
		MRF2-600M			
		DVLV603			
		MA-600			

0-10V Dimming

Brand	Model
LUTRON	DVSTV
	DVSCTV
LEVITON	IP710-DLZ
	DS710-10Z
LEGRAND	RH4FBL3P
COOPER	SF10P