

Regulus 3"




Round Trimless Regress Slim

Product Information

Description	RS3/10W/R/LED/TL/5CCT
Color temp	27, 30, 35, 41, 50k
Output lumens	750
Beam angle	100°
Input volts	120/277V
Wattage	10W
CRI	90>
mA	230mA
Output volts	33-38V
Dimmable	Triac Or 0-10 Dimming
Cut out	2.72"
OD	4.52"
Height	1.81"
Packed	18

G-96721

5 Selectable Color



Accessories



Emergency LED Driver

15W G-48410
25W G-95525
30W G-48411
60W G-95521



Multi Light Driver

10W G-95824



Extension Cords

5ft G-20247
10ft G-20248
20ft G-19822
30ft G-19823



New Construction Plate


G-19975 1 Punch Out




New Construction Plate

G-19979 1 Punch Out

Dimensions



Installation Instructions



Dimmer List

Brand	Load	Model
LUTRON	150W	LECL-153P
		CTCL-150H
		LGCL-153PLH
		CTCL-153P
		SCL-153P
		PD-6WCL
		PD-5NE
		DVCL-153P
		TGCL-153P
		AYCL-153P
		MSCL-OP153M
		STCL-153M
	250W	DVRF-6L
		PD-10NXD
		DVCL253
		DVRP-253
	300W	MRF2S-6CL
		DVELV-300P
		SELVB-300P
	600W	MACL-153M
		MRF2-600M
		DVLV603
		MA-600

Brand	Load	Model
LEVITON	150W	IPL06
		6672
		6674
		RDL06-10Z
		RNL06-10Z
	300W	DSL06-1LZ
PASS & SEYMOUR	250W	D26HD
		LSCL450W
EATON	300W	WSCL450W
		DDE06-BLZ
		AAL06

0-10V Dimming	
Brand	Model
LUTRON	DVSTV
	DVSCTV
LEVITON	IP710-DLZ
	DS710-10Z
LEGRAND	RH4FBL3P
COOPER	SF10P