


Saturn 1.5"

Gimbal Trimless


Product Information

Color temp	27, 30, 35, 41, 50k
Output lumens	1000
Beam angle	40°
Tilt angle	30°
Input volts	120-277V
Wattage	12W
CRI	90>
mA	270mA
Output volts	36V
IC rated	Yes
Dimmable	Triac Or 0-10V
Cut out	2.56"
OD	3.54"
Height	4.88"
Wire space	10 Cubic inch
Packed	18



Product Information

	G-48428	G-48429
Description	R1.5/12W/R/LED/TL/5CCT	R1.5/12W/R/LED/TL/5CCT BK
Trim finish	White	Black



Accessories



Emergency LED Driver

15W G-48410
25W G-95525
30W G-48411
60W G-95521



Extension Cords


6ft G-20210
10 ft G-20211



New Construction Plate

G-19981 1 Punch Out

Dimensions



Dimmer List

Brand	Load	Model
LUTRON	150W	LECL-153P
		CTCL-150H
		LGCL-153PLH
		CTCL-153P
		SCL-153P
		PD-6WCL
		PD-5NE
		DVCL-153P
		TGCL-153P
		AYCL-153P
		MSCL-OP153M
		STCL-153M
		DVRF-6L
	250W	PD-10NXD
		DVCL253
		DVRP-253
		MRF2S-6CL
	300W	DVELV-300P
		SELVB-300P
	600W	MACL-153M
		MRF2-600M
		DVLV603
		MA-600

Brand	Load	Model
LEVITON	150W	IPL06
		6672
		6674
		RDL06-10Z
		RNL06-10Z
	300W	DSL06-1LZ
D26HD		
PASS & SEYMOUR	250W	LSCL450W
		WSCL450W
EATON	300W	DDE06-BLZ
		AAL06

0-10V Dimming

Brand	Model
LUTRON	DVSTV
	DVSCTV
LEVITON	IP710-DLZ
	DS710-10Z
LEGRAND	RH4FBL3P
COOPER	SF10P