

Saturn 2"


HO Gimbal Trimless

Product Information

Description	R2/11W/GR/LED/TL/5CCT/HO-G2
Color temp	27, 30, 35, 41, 50K
Output lumens	1000
Beam angle	60°
Input volts	120-277V
Wattage	11W
CRI	90>
mA	250mA
Output volts	33-38V
Dimmable	Triac or 0-10v
Plenum rated	FT6
Cutout	3.10"
OD	4.72"
Height	4.92"
Wire space	6.2 Cubic inch
Packed	18

G-24120

Selectable Color



Lens Options

Clear Lens




G-01420
L3/24-DEGREE



G-01421
L3/40-DEGREE



G-01422
L3/60-DEGREE



Accessories



Emergency LED Driver

15W G-48410
25W G-95525
30W G-48411
60W G-95521



Multi Driver Converter

10W G-95824



Extension Cords

5ft G-20247
10ft G-20248
20ft G-19822
30ft G-19833



New Construction Plate


G-19975 2 Punch Out



New Construction Plate

G-19979 2 Punch Out


Multihead Accessories



Round Double Head Trimless Kit G-90302

Description 3/RD/2H/W/TL/MK

Plate G-48318 2 Punch Out



Round Triple Head Trimless Kit G-90303

Description 3/RD/3H/W/TL/MK


Plate G-48449 1 Punch Out



Round Quadruple Head Trimless Kit G-90304

Description 3/RD/4H/W/TL/MK

Plate G-98822 5 Punch Out




Round Quadruple Head Trimless Square-Kit G-90300

Description 3/RD/4H-SQ/W/TL/MK

Plate G-98818 2 Punch Out

Dimensions



Dimmer List

Brand	Load	Model
LUTRON	150W	LECL-153P
		CTCL-150H
		LGCL-153PLH
		CTCL-153P
		SCL-153P
		PD-6WCL
		PD-5NE
		DVCL-153P
		TGCL-153P
		AYCL-153P
		MSCL-OP153M
		STCL-153M
	250W	DVRF-6L
		PD-10NXD
		DVCL253
		DVRP-253
	300W	MRF2S-6CL
		DVELV-300P
	600W	SELVB-300P
		MACL-153M
		MRF2-600M
		DVLV603
		MA-600

Brand	Load	Model
LEVITON	150W	IPL06
		6672
		6674
		RDL06-10Z
		RNL06-10Z
	300W	DSL06-1LZ
PASS & SEYMOUR	250W	D26HD
		LSCL450W
		WSCL450W
EATON	300W	DDE06-BLZ
		AAL06

0-10V Dimming	
Brand	Model
LUTRON	DVSTV
	DVSCTV
LEVITON	IP710-DLZ
	DS710-10Z
LEGRAND	RH4FBL3P
COOPER	SF10P