

Saturn 2"

HO Round Flushed Gimbal

Product Information

Color temp	27, 30, 35, 41, 50K
Output lumens	1100/700
Beam angle	60° (Default)
Tilt angle	30°
Input volts	120-277V
Wattage	14/8W
CRI	90>
mA	190/330mA
Output volts	33-38V
IC rated	Only at 8W
Dimmable	Triac Or 0-10V
Plenum rated	FT6
Cut out	2.00"
OD	2.55"
Height	4.00"
Wire space	10 Cubic inch
Packed	18

Selectable Color



G-24520



G-24521

Product Information

	G-24520	G-24521
Description	R2/14W/GR/LED/2WS/5CCT	R2/14W/GR/LED/2WS/5CCT/BK
Trim finish	White	Black

CRI 90+ True Colors

Wet Location

Air Tight

60° Beam Angle

Changing Lens

Dimmable

Lens Options

Clear Lens



G-25600
SN/L2/24-DEGREE



G-25601
SN/L2/40-DEGREE



G-25602
SN/L2/60-DEGREE

Accessories



Emergency LED Driver
15W G-48410
25W G-95525
30W G-48411
60W G-95521



Extension Cords
5ft G-20247
10ft G-20248
20ft G-19822
30ft G-19823




New Construction
Plate
G-19975 0 Punch Out



New Construction
Plate
G-19979 0 Punch Out

Dimensions



Dimmer List

Brand	Load	Model
LUTRON	150W	LECL-153P
		CTCL-150H
		LGCL-153PLH
		CTCL-153P
		SCL-153P
		PD-6WCL
		PD-5NE
		DVCL-153P
		TGCL-153P
		AYCL-153P
		MSCL-OP153M
		STCL-153M
		DVRF-6L
	250W	PD-10NXD
		DVCL253
		DVRP-253
		MRF2S-6CL
	300W	DVELV-300P
		SELVB-300P
	600W	MACL-153M
		MRF2-600M
		DVLV603
		MA-600

Brand	Load	Model
LEVITON	150W	IPL06
		6672
		6674
		RDL06-10Z
		RNL06-10Z
	300W	DSL06-1LZ
		D26HD
PASS & SEYMOUR	250W	LSCL450W
		WSCL450W
EATON	300W	DDE06-BLZ
		AAL06

0-10V Dimming

Brand	Model
LUTRON	DVSTV
	DVSCTV
LEVITON	IP710-DLZ
	DS710-10Z
LEGRAND	RH4FBL3P
COOPER	SF10P