

Saturn 3.5"

Round Flushed Gimbal

Product Information

Color temp	27, 30, 35, 41, 50k
Output lumens	1400
Tilt angle	20°
Input volts	120-277V
Wattage	14W
CRI	90+
mA	340mA
Output volts	33-38V
Dimmable	Triac Or 0-10V
Plenum rated	FT6
Cut out	3.62"
OD	4.17"
Height	2.94"
Packed	18

Selectable Color




G-19999



G-20000

Product Information

	G-19999	G-20000
Description	R3/14W/GR/LED/5CCT	R3/14W/GR/LED/5CCT/BK
Trim finish	White	Black



Lens Options

Clear Lens



G-25621
SN/L3.5/40-DEGREE



G-25622
SN/L3.5/60-DEGREE

Accessories



Emergency LED Driver

15W G-48410
25W G-95525
30W G-48411
60W G-95521



Multi Driver Converter

14W G-95825



Extension Cords

5ft G-20247
10ft G-20248
20ft G-19822
30ft G-19823



New Construction Plate


G-98800 5 Punch Out



New Construction Plate

G-98810 5 Punch Out

Dimensions



Dimmer List

Brand	Load	Model	Brand	Load	Model
LUTRON	150W	LECL-153P	LEVITON	150W	IPL06
		CTCL-150H			6672
		LGCL-153PLH			6674
		CTCL-153P			RDL06-10Z
		SCL-153P			RNL06-10Z
		PD-6WCL		300W	DSL06-1LZ
		PD-5NE			D26HD
		DVCL-153P	PASS & SEYMOUR	250W	LSCL450W
		TGCL-153P			WSCL450W
		AYCL-153P	EATON	300W	DDE06-BLZ
		MSCL-OP153M			AAL06
		STCL-153M		250W	
		DVRF-6L			
	250W	PD-10NXD			
		DVCL253			
		DVRP-253			
		MRF2S-6CL			
	300W	DVELV-300P			
		SELVB-300P			
	600W	MACL-153M			
		MRF2-600M			
		DVLV603			
		MA-600			

0-10V Dimming	
Brand	Model
LUTRON	DVSTV
	DVSCTV
LEVITON	IP710-DLZ
	DS710-10Z
LEGRAND	RH4FBL3P
COOPER	SF10P