

Saturn 4"

Round Flushed Gimbal

Product Information

Color temp	27, 30, 35, 41, 50k
Beam angle	40° (Default)
Tilt angle	23°
Wattage	14W
CRI	90+
mA	330mA
Output volts	36V
Cutout	4.00"
OD	5.03"
Height	2.51"
Packed	18

5 Selectable Color



G-20001



G-48357



G-48358






G-48359



G-20005

Product Information

	G-20001	G-48357	G-48358	G-48359	G-20005
Description	R4/14W/GR/LED/5CCT	R4/14W/GR/B/LED/5CCT	R4/14W/GR/BN/LED/5CCT	R4/14W/GR/BZ/LED/5CCT	R4/14W/GR/BB/LED/5CCT
Output lumens	1100	1200	1100	1200	1400
Trim finish	White	Black	Brushed nickel	Bronze	Brushed brass
Input volts	120-277V	120-277V	120V	120-277V	120-277V
Dimmable	Triac or 0-10V	YES	YES	YES	YES



Lens Options

Clear Lens



G-25631
SN/L4/40-DEGREE



G-25632
SN/L4/60-DEGREE

Accessories



Emergency LED Driver

15W G-48410
25W G-95525
30W G-48411
60W G-95521




Extension Cords

5ft G-20247
10ft G-20248
20ft G-19822
30ft G-19823



120-277V Driver


G-48302 0-10 Diming



New Construction Plate

G-19969 1 Punch Out

Dimensions



Dimmer List

Brand	Load	Model
LUTRON	150W	LECL-153P
		CTCL-150H
		LGCL-153PLH
		CTCL-153P
		SCL-153P
		PD-6WCL
		PD-5NE
		DVCL-153P
		TGCL-153P
		AYCL-153P
		MSCL-OP153M
		STCL-153M
		DVRF-6L
	250W	PD-10NXD
		DVCL253
		DVRP-253
		MRF2S-6CL
	300W	DVELV-300P
		SELVB-300P
	600W	MACL-153M
		MRF2-600M
		DVLV603
		MA-600

Brand	Load	Model
LEVITON	150W	IPL06
		6672
		6674
		RDL06-10Z
		RNL06-10Z
	300W	DSL06-1LZ
		D26HD
PASS & SEYMOUR	250W	LSCL450W
		WSCL450W
EATON	300W	DDE06-BLZ
		AAL06

0-10V Dimming

Brand	Model
LUTRON	DVSTV
	DVSCTV
LEVITON	IP710-DLZ
	DS710-10Z
LEGRAND	RH4FBL3P
COOPER	SF10P