Silent 1/2”
Aperture Interchangeable Mud-in Module

Product Information

Description	ST/HALF/M/13W
Output lumens	750-1000
Beam angle	40°
Input volts	120-277V
Wattage	13W
CRI	90>
mA	330mA
IC rated	YES
Dimmable	Triac or 0-10V
Plenum rated	FT6
Wire Length	30 FT
Cut out	3.62”
OD	6.50”
Height	1.76”
Packed	18

G-16000



Installation View

Required

Diode (sold separately)

G-16027 2700K - 750lm
G-16030 3000K - 850lm
G-16035 3500K - 950lm
G-16040 4100K - 1000lm
G-16050 5000K - 1000lm

Compatible Multihead Plates

Multi Plates

Drivers

Single Channel Driver 120-277V
13W G-16001

5 Channel Transformer
65W G-16005

10 Channel Transformer
130W G-16010

Ordering Guide

Component	Status	Component	Status
Module	**REQUIRED**	NC Plate	OPTIONAL
Diode	**REQUIRED**	Extractor	OPTIONAL
Driver	**REQUIRED**	Extension Cords	OPTIONAL

CRI 90+ True Colors
Wet Location
Air Tight
Dimmable
IC Rated

JA8 TITLE 24

Made In China
Goodlite Products. Tinton Falls NJ 07753.

Accessories

Emergency LED Driver

15W G-48410
25W G-95525
30W G-48411
60W G-95521

Silent Extractor

G-11724

Extension Cords

5ft G-20247
10ft G-20248
20ft G-19822
30ft G-19823



New Construction Plate

G-98800 5 Punch Out

New Construction Plate

G-98810 5 Punch Out

Module Dimensions



Driver Dimensions

Single Channel Driver



5 Channel Driver



10 Channel Driver



Made In China
Goodlite Products. Tinton Falls NJ 07753.

Wiring Overview



Dimmer List

Brand	Load	Model
LUTRON	150W	LECL-153P
		CTCL-150H
		LGCL-153PLH
		CTCL-153P
		SCL-153P
		PD-6WCL
		PD-5NE
		DVCL-153P
		TGCL-153P
		AYCL-153P
		MSCL-OP153M
		STCL-153M
		DVRF-6L
	250W	PD-10NXD
		DVCL253
		DVRP-253
		MRF2S-6CL
	300W	DVELV-300P
		SELVB-300P
	600W	MACL-153M
		MRF2-600M
		DVLV603
		MA-600

Brand	Load	Model
LEVITON	150W	IPL06
		6672
		6674
		RDL06-10Z
		RNL06-10Z
	300W	DSL06-1LZ
		D26HD
PASS & SEYMOUR	250W	LSCL450W
		WSCL450W
EATON	300W	DDE06-BLZ
		AAL06

0-10V Dimming

Brand	Model
LUTRON	DVSTV
	DVSCTV
LEVITON	IP710-DLZ
	DS710-10Z
LEGRAND	RH4FBL3P
COOPER	SF10P