



SILENT 1" APERTURE MODULE



ITEM	G-11120		
DESCRIPTION	ST/1/M/15W/LED/5CCT	DIMMABLE	YES
COLOR TEMP	27, 30, 35, 41, 50k	mA	350mA
OUTPUT LUMEN	1200	IC-RATED	YES
BEAM ANGLE	50° (by Default)	CUTOUT	5.85"
WATTAGE	15W	WIRE LENGTH	30 FT
INPUT VOLTS	36V	OD	8.50"
CRI	90>	HEIGHT	2.807"
PLENUM RATED	FT6	PACK	6

Frosted Lens



ITEM	G-11722
DESCRIPTION	ST/L/FR/80-DEGREE

Flushed Lenses

Clear





ITEM	G-11822
DESCRIPTION	ST/L/FL/CLR/60-DEGREE

Frosted




ITEM	G-11820
DESCRIPTION	ST/L/FL/FR/60-DEGREE

Driver not included.
Please refer to driver option below.



ROUND TRIMMED KITS



G-11121

ST/KT/RD/WT/TM

White

Round Trimmed




G-11122

ST/KT/RD/BK/TM

Black

Round Trimmed



G-11123

ST/KT/RD/BZ/TM

Bronze

Round Trimmed




G-11124

ST/KT/RD/BN/TM

Brushed Nickel

Round Trimmed




G-11125

ST/KT/RD/BB/TM

Brushed Brass

Round Trimmed

SQUARE TRIMMED KITS




G-11220

ST/KT/SQ/WT/TM

White

Square Trimmed




G-11221

ST/KT/SQ/BK/TM

Black

Square Trimmed




G-11222

ST/KT/SQ/BZ/TM

Bronze

Square Trimmed




G-11223

ST/KT/SQ/BN/TM

Brushed Nickel

Square Trimmed



G-11224

ST/KT/SQ/BB/TM

Brushed Brass

Square Trimmed

ROUND TRIMLESS KITS



G-11320

ST/KT/RD/WT/TS

White

Round Trimless




G-11321

ST/KT/RD/BK/TS

Black

Round Trimless




G-11322

ST/KT/RD/BZ/TS

Bronze

Round Trimless




G-11323

ST/KT/RD/BN/TS

Brushed Nickel

Round Trimless




G-11324

ST/KT/RD/BB/TS

Brushed Brass

Round Trimless

SQUARE TRIMLESS KITS




G-11420

ST/KT/SQ/WT/TS

White

Square Trimless




G-11421

ST/KT/SQ/BK/TS

Black

Square Trimless




G-11422

ST/KT/SQ/BZ/TS

Bronze

Square Trimless




G-11423

ST/KT/SQ/BN/TS

Brushed Nickel

Square Trimless



G-11424

ST/KT/SQ/BB/TS

Brushed Brass

Square Trimless

ROUND DROP TRIM KITS



G-11520

ST/KT/RD/WT/DT

White

Round Drop Trim




G-11521

ST/KT/RD/BK/DT

Black

Round Drop Trim




G-11522

ST/KT/RD/BZ/DT

Bronze

Round Drop Trim




G-11523

ST/KT/RD/BN/DT

Brushed Nickel

Round Drop Trim




G-11524

ST/KT/RD/BB/DT

Brushed Brass

Round Drop Trim

SQUARE DROP TRIM KITS




G-11620

ST/KT/SQ/WT/DT

White

Square Drop Trim




G-11621

ST/KT/SQ/BK/DT

Black

Square Drop Trim




G-11622

ST/KT/SQ/BZ/DT

Bronze

Square Drop Trim




G-11623

ST/KT/SQ/BN/DT

Brushed Nickel

Square Drop Trim




G-11624

ST/KT/SQ/BB/DT

Brushed Brass


Square Drop Trim

1" MULTI HEAD INTERCHANGEABLE TRIMLESS KITS




G-11102
1/SLT/2H/TL/MK

Double Kit




G-11103
1/SLT/3H/TL/MK

Triple Kit





G-11104
1/SLT/4H/TL/MK

Quadruple Kit




G-11100
1/SLT/SQ-4H/TL/MK

Square Kit




STYLE	CUT OUT	PLATE	PACK
2 HEADS	5.75" X 11.26"	G-98824 (0)	36
3 HEADS	5.75" X 16.77"	G-98824 (1)	36
4 HEADS	5.75" X 22.28"	G-98824 (2)	36
4 HEADS SQUARE	11.26" X 11.26"	G-98818 (6)	12

Wiring Overview



Diagram



Accessories




Emergency LED Driver

15W G-48410

60W G-95521


30W G-48411

25W G-95525



New Construction Plate

G-19969 2 Punch Out



Silent Extractor

G-11724

This tool extracts the diode and trim, without disturbing the ceiling



Diode Replacement

G-11723 5CCT - Default

G-11127 27K

G-11130 30K

G-11135 35K

G-11140 40K

G-11150 50K

G-11118 DTW



Extension Cords

G-20247 5ft

G-20248 10ft

G-19822 20ft

G-19823 30ft

Voltage Drop Charts

18AWG	NO.of the Lights	1st	2nd	3rd	4th	5th	6th	7th	8th	9th	
	VOLTAGE	DC 23.86V	DC 23.62V	DC 23.43V	DC 23.27V	DC 23.12V	DC 23.02V	DC 22.89V	DC 22.83V	DC 22.83V	

The distance of per lights is 1 meter.

12AWG	NO.of the Lights	1st	2nd	3rd	4th	5th	6th	7th	8th	9th	
	VOLTAGE	DC 23.82V	DC 23.73V	DC 23.64V	DC 23.55V	DC 23.48V	DC 23.40V	DC 23.33V	DC 23.26V	DC 23.18V	
	NO.of the Lights	10th	11th	12th	13th	14th	15th	16th	17th	18th	
	VOLTAGE	DC 23.12V	DC 23.1V	DC 23.04V	DC 23.01V	DC 22.98V	DC 22.95V	DC 22.93V	DC 22.91V	DC 22.91V	

The distance of per lights is 1 meter.

Dimmer List:

BRAND	SERIES	MODEL	LOAD	BRAND	SERIES	MODEL	LOAD
LUTRON	SKYLARK CONTOUR	LECL-153P	150W	LUTRON	TOGLER	TGCL-153P	150W
		CTCL-150H	150W		ARIADNI	AYCL-153P	150W
		LGCL-153PLH	150W		MAESTRO	MACL-153M	600W
		CTCL-153P	150W	LEVITON	ILLUMATECH	IPL06	150W
		SCL-153P	150W		SURESLIDE	6672	150W
		S-600P	600W		SURESLIDE	6674	150W
	CASETA	PD-6WCL	150W	EATON	SMART DIMMER	AAL06	300W
		PD-5NE	150W	PASS & SEYMOUR	HARMONY	DCL453PTCCCV6	150W
		PD-10NXD	250W	GE	ROCKER	10464	150W
	DIVA	DVCL-153P	150W		TOGGLE	18027	150W