

# Star 2" Square Flushed Slim

## Product Information

Description	S2/5W/SQ/LED/5CCT
Color temp	27, 30, 35, 41, 50k
Output lumens	300
Beam angle	100°
Input volts	120V
Wattage	5W
CRI	90+
mA	110mA
Output volts	33-38V
Dimmable	YES
Cut out	2.08"
OD	2.36"
Height	0.98"
Packed	18



## Color Covers

**Black**

G-97925  
T2/SQ/CV/BK

**Brushed Nickel**


G-97926  
T2/SQ/CV/BN

**Bronze**

G-97927  
T2/SQ/CV/BZ

**Brushed Brass**

G-97928  
T2/SQ/CV/BB



## Accessories



### Emergency LED Driver

15W G-48410  
25W G-95525  
30W G-48411  
60W G-95521



### Multi Light Driver

5W G-95823



### Extension Cords

5ft G-20247  
10ft G-20248  
20ft G-19822  
30ft G-19823



### 120-277V Drivers (0-10 Dimming)

G-48306 Dim 0-10



### New Construction Plate


G-19975 0 Punch Out



### New Construction Plate

G-19979 0 Punch Out

## Dimensions



## Dimmer List

Brand	Load	Model	Brand	Load	Model
LUTRON	150W	LECL-153P	LEVITON	150W	IPL06
		CTCL-150H			6672
		LGCL-153PLH			6674
		CTCL-153P			RDLO6-10Z
		SCL-153P			RNLO6-10Z
		PD-6WCL			300W
		PD-5NE	D26HD		
		DVCL-153P	250W	LSCL450W	
		TGCL-153P		WSCL450W	
		AYCL-153P		300W	DDE06-BLZ
		MSCl-OP153M			AAL06
		STCL-153M	250W	EATON	300W
		DVRF-6L			
		PD-10NXD			
	DVCL253				
	DVRP-253				
	MRF2S-6CL				
	300W	DVELV-300P			
		SELVB-300P			
	600W	MACL-153M			
		MRF2-600M			
		DVLV603			
		MA-600			