



Star 4"

Square Trimless Flushed

Product Information

Description	SR4/20W/SQ/5CCT/TL
Color temp	27, 30, 35, 41, 50k
Fixture	SQUARE
Output lumens	1400/1700
Beam angle	100°
Input volts	120/277V
Wattage	15/20W
CRI	90>
mA	355mA /515mA
Output volts	33-38V
IC rated	Only at 15W
Dimmable	Triac or 0-10V
Plenum rated	FT6
Cut out	Sq 2.95" Rd 4.25"
OD	6.88"
Height	2.14"
Wire space	11.2 Cubic inch
Packed	18



Accessories



Emergency LED Driver

15W G-48410
25W G-95525
30W G-48411
60W G-95521



Multi Light Driver

14W G-95825
20W G-95826



Extension Cords

5ft G-20247
10ft G-20248
20ft G-19822
30ft G-19823



New Construction Plate


G-19975 4 Punch Out




New Construction Plate

G-19979 4 Punch Out

Dimensions



Installation Instructions



Dimmer List

Brand	Load	Model
LUTRON	150W	LECL-153P
		CTCL-150H
		LGCL-153PLH
		CTCL-153P
		SCL-153P
		PD-6WCL
		PD-5NE
		DVCL-153P
		TGCL-153P
		AYCL-153P
		MSCL-OP153M
		STCL-153M
	250W	DVRF-6L
		PD-10NXD
		DVCL253
		DVRP-253
	300W	MRF2S-6CL
		DVELV-300P
	600W	SELVB-300P
		MACL-153M
		MRF2-600M
		DVLV603
		MA-600

Brand	Load	Model
LEVITON	150W	IPL06
		6672
		6674
		RDL06-10Z
		RNL06-10Z
	300W	DSL06-1LZ
PASS & SEYMOUR	250W	D26HD
		LSCL450W
		WSCL450W
EATON	300W	DDE06-BLZ
		AAL06

0-10V Dimming	
Brand	Model
LUTRON	DVSTV
	DVSCTV
LEVITON	IP710-DLZ
	DS710-10Z
LEGRAND	RH4FBL3P
COOPER	SF10P