


Tube Series

T8 8 FT BYPASS 5CCT

FA8 PIN - Frosted



ITEM	G-20053		
DESCRIPTION	F42/T8/F/30,35,41,50,65K/5CCT		
COLOR TEMP	30,35,41,50,65k	EQUIV. WATTAGE	120W
LENGTH	96"	INPUT VOLTS	120/277V
OUTPUT LUMEN	5500	DIMMABLE	NO
WATTAGE	42W	PACK	10



- WARM WHITE 3000K
- NEUTRAL WHITE 3500K
- COOL WHITE 4100K
- SUPER WHITE 5000K
- DAYLIGHT 6500K

T8 8 FT BYPASS 5CCT

FA8 PIN - Clear



ITEM	G-20054		
DESCRIPTION	F42/T8/C/30,35,41,50,65K/5CCT		
COLOR TEMP	30,35,41,50,65k	EQUIV. WATTAGE	120W
LENGTH	96"	INPUT VOLTS	120/277V
OUTPUT LUMEN	5500	DIMMABLE	NO
WATTAGE	42W	PACK	10



- WARM WHITE 3000K
- NEUTRAL WHITE 3500K
- COOL WHITE 4100K
- SUPER WHITE 5000K
- DAYLIGHT 6500K

T8 8 FT BYPASS HO 5CCT

R17 PIN - Frosted



ITEM	G-19777		
DESCRIPTION	F42/T8/F/HO/LED/5CCT		
COLOR TEMP	30,35,41,50,65k	EQUIV. WATTAGE	120W
LENGTH	96"	INPUT VOLTS	120/277V
OUTPUT LUMEN	5500	DIMMABLE	NO
WATTAGE	42W	PACK	10



- WARM WHITE 3000K
- NEUTRAL WHITE 3500K
- COOL WHITE 4100K
- SUPER WHITE 5000K
- DAYLIGHT 6500K



Warranty:
5 years



Lifetime:
50,000 hours



Bypass
Ballast



Tube Series

T8 8 FT BYPASS

FA8 PIN - Frosted



ITEM	G-83502	G-83503	G-83504	G-83506
DESCRIPTION	F42T8/830/F/LED	F42T8/835/F/LED	F42T8/841/F/LED	F42T8/850/F/LED
COLOR TEMP	3000k Warm White	3500k Neutral White	4100k Cool White	6500k Daylight
LENGTH	96"	96"	96"	96"
OUTPUT LUMEN	5500	5500	5500	5500
WATTAGE	42W	42W	42W	42W
EQUIV. WATTAGE	120W	120W	120W	120W
INPUT VOLTS	120/277V	120/277V	120/277V	120/277V
DIMMABLE	NO	NO	NO	NO
PACK	10	10	10	10



Warranty:
5 years



Lifetime:
50,000 hours



Bypass
Ballast



Tube Series

T8 8 FT BYPASS HO

R17 PIN - Frosted



ITEM	G-19774	G-19775	G-19776
DESCRIPTION	F42/T8/841/F/HO/LED	F42/T8/850/F/HO/LED	F42/T8/865/F/HO/LED
COLOR TEMP	4100k Cool White	5000k Super White	6500k Daylight
LENGTH	96"	96"	96"
OUTPUT LUMEN	5500	5500	5500
WATTAGE	42W	42W	42W
EQUIV. WATTAGE	120W	120W	120W
INPUT VOLTS	120/277V	120/277V	120/277V
DIMMABLE	NO	NO	NO
PACK	10	10	10



Tube Series

T8 8 FT BYPASS

FA8 PIN - Clear



ITEM	G-19951	G-19952	G-19953
DESCRIPTION	F42T8/841/C/LED	F42T8/850/C/LED	F42T8/865/C/LED
COLOR TEMP	4100k Cool White	5000k Super White	6500k Daylight
LENGTH	96"	96"	96"
OUTPUT LUMEN	5500	5500	5500
WATTAGE	42W	42W	42W
EQUIV. WATTAGE	120W	120W	120W
INPUT VOLTS	120/277V	120/277V	120/277V
DIMMABLE	NO	NO	NO
PACK	10	10	10



Warranty:
5 years



Lifetime:
50,000 hours




Bypass
Ballast



Wiring Diagram




Bypass
Ballast



OR



Bypass
Ballast



Accessories

Emergency LED Driver

15W G-48410

60W G-95521

30W G-48411

25W G-95525

