

Venus 2"

HO Round Trimless Luminaire

Product Information

Color temp	27, 30, 35, 41, 50k
Output lumens	950
Beam angle	40°
Input volts	120V
Wattage	14W
CRI	90+
mA	320mA
Output volts	36V
IC rated	YES
Dimmable	Triac
Cut out	2.56"
OD	3.50"
Height	5.00"
Warranty	3 years
Packed	18

Selectable Color





G-48416



G-48417

Product Information

	G-48416	G-48417
Description	R2/14W/R/LED/TL/5CCT	R2/14W/R/LED/TL/5CCT B
Trim finish	White	Black



Accessories




Emergency LED Driver

15W G-48410
25W G-95525
30W G-48411
60W G-95521



Extension Cords

6ft G-20210
10ft G-20211



New Construction Plate

G-98800 3 Punch Out



New Construction Plate

G-98810 3 Punch Out


Square Trimless Mesh (add-on)

Product Information

Cut out	Rd 3.85" - Sq 2.75"
OD	5.7"
Height	8W 3.15" - 14W 5.60"
Packed	24



G-48413




G-48412


Product Information

	G-48413	G-48412
Description	T2/SQ/LED/W/TL	T2/SQ/LED/B/TL
Trim finish	White	Black
Compatible with	G-48414, G-48416	G-48415, G-48417

Dimensions



Square Timless Mesh Dimensions



Dimmer List

Brand	Series	Model	Load	Dimmable	Brand	Series	Model	Load	Dimmable
LUTRON	ARIADNI	AYCL-153P	150W	OK	LUTRON	TOGGLER	TG-600P	600W	OK
	DIVA	DV-600PR	600W	OK			TGCL-153P	150W	OK
		DVCL-153P	150W	OK		CASETA	WIRELESS DIMMER	150W	OK
	MAESTRO	MACL-153MH	600W	OK	LEVITON	SURESLIDE	6633	600W	OK
	MAESTRO WIRELESS	MRF2-6CL	150W	OK		SURESLIDE DECORA	6674	600W	20-100%
						TRIMATRON	6602	600W	20-100%
	ROTARY	D-600P	600W	OK		ILLVMATECH	IPL06	600W	OK
	ELECTRONIC	NTELV-300P	600W	OK	LEGRAND	ADORNE	ADTP703TU	700W	20-100%
	SKYLARK	S-600P	600W	OK		HARMONY	9540	700W	OK
	SKYLARK CONTOUR	CT-600P	600W	OK	COOPER	ASPIRE	9540	1000W	OK
CLCL-153P		153W	OK	DEVINE		DAL06P	300W	OK	