





Venus 3.5"

HO Round Trimless Luminaire

Product Information

Description	R3.5/16W/R/LED/TL/5CCT/HO
Color temp	27, 30, 35, 41, 50k
Output lumens	1450
Beam angle	60°
Input volts	120/277V
Wattage	16W
CRI	90>
mA	360mA
Output volts	36V DC
Dimmable	Triac or 0-10 Dimming
Cut out	3.10"
OD	5.90"
Height	5.65"
Packed	18



Accessories



Emergency LED Driver
25W G-95525
30W G-48411
60W G-95521



Extension Cords
5ft G-20210
10ft G-20211




New Construction Plate
G-98800 4 Punch Out



New Construction Plate
G-98810 4 Punch Out

Dimensions



Dimmer List

Brand	Series	Model	Load	Brand	Series	Model	Load
LUTRON	SKYLARK CONTOUR	LECL-153P	150W	LUTRON	TOGGLER	TGCL-153P	150W
		CTCL-150H	150W		ARIADNI	AYCL-153P	150W
		LGCL-153PLH	150W		MAESTRO	MACL-153M	600W
		CTCL-153P	150W	LEVITON	ILLUMATECH	IPL06	150W
		SCL-153P	150W		SURESLIDE	6672	150W
		S-600P	600W			6674	150W
	CASETA	PD-6WCL	150W	EATON	SMART DIMMER	AAL06	300W
		PD-5NE	150W	PASS & SEYMOUR	HARMONY	DCL453PTCCCV6	150W
		PD-10NXD	250W	GE	ROCKER	1064	150W
	DIVA	DVCL-153P	150W		TOGGLE	18027	150W